

Work on interoperability with the UNFCCC Reporting Tool for CRT (for GHG Inventories)

IPCC TFI: release of the new version of the IPCC Inventory Software for GHG Inventories Sharm el-Sheikh Climate Change Conference

November 2022






INTERGOVERNMENTAL PANEL ON Climate change

Outline

- ✓ Background
- ✓ What is interoperability?
- ✓ Why is it important?
- ✓ Current activities to prepare IPCC Inventory Software to interact with UNFCCC Reporting Tool
- ✓ The road ahead





Background

- ✓ Beginning 31 December 2024, countries submit a biennial transparency report (BTR) consisting of a narrative document and reporting tables/ formats.
- ✓ Reporting must follow the **Modalities**, **Procedures and Guidelines** (MPGs) (decision 18/CMA.1)
- Decision 5/CMA.3 mandates the UNFCCC to develop reporting tools for the electronic reporting of the tables and formats, specifically:
 - ✓ Common reporting tables for GHG inventory (Annex I);
 - ✓ Common tabular formats for tracking progress made in implementing/achieving NDCs (Annex 2);
 - ✓ Common tabular formats for financial, technology development and transfer and capacity-building support (Annex 3)
- ✓ Requests the UNFCCC secretariat to facilitate interoperability between the reporting tools and the IPCC inventory software and invites the IPCC to participate in this effort.



What is interoperability?

Worksheet


Sector:

Sheet

Data Fuel Type Peat

Category Subcatego

Unspecified




Interoperability: "The ability of computer systems or software to exchange and make use of information"

--Oxford Dictionary

Why is interoperability important?

IPCC inventory software becomes a central component of a Party's institutional arrangements to facilitate meeting UNFCCC national reporting obligations.

- Supports Parties in estimating GHG emissions/removals
- Organizing framework for data collection efforts among entities
- ✓ Minimizes error
- ✓ Reduces reporting burden





Making the Link

- ✓ UNFCCC and IPCC working closely together
- ✓ Identifying differences between the IPCC Inventory software and agreed CRT
- Preparing a detailed, cell-by-cell mapping to identify the source data from the IPCC inventory software that will populate the CRT
- Prepare a strategy to facilitate population of the CRT data for UNFCCC reporting
- Mapping tables to be published to facilitate users' understanding

TABLE 1.A(a) SECTORAL BACKGROUND	DATA FOR ENERGY								
uel combustion activities - sectoral approach									Subm
sheet 1 of 4)									Ce
sele to locies									
REENHOUSE GAS SOURCE AND SENK CATEGORIES	AGGREGATE ACTIVITY DATA		D	PLIED EMISSION FACTOR	IS NO	ee (2)	EMISSIONS	×0.	AMOUNT CAPTURED10
	Consumption (LJ)	NCV/GCV ⁽³⁾	(eTJ)	CH ₄ (kg	TJ)	CO ₂ co	СЦ	0k0	C0;
4. Fuel combustion		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates		CRT Reporter calculates
Liquid fuels	CRT Reporter calculates		CRT Reporter calculates		CRT Reporter calculates		CRT Reporter calculates	CRT Reporter calculates	CRT Reperter calculates
Solid feels	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Gaseros faels (*) Other fault faels (*)	CRT Reporter calculates		CRT Reporter calculates CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Pant ⁽³⁾			CRT Reporter calculates				CET Reporter calculates	Contradiction of the second seco	CRT Reporter calculates
Biomass ⁽⁰⁾			CRT Reporter calculates				CRT Reporter calculates		CRT Reporter calculates
1. Energy industries	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Liquid fisels	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Solid faels			CRT Reporter calculates				CRT Reporter calculates		CRT Reporter calculates
Gaseous fuels (0)	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Other fessil fiels (5)	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Peat ⁽⁸⁾	CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates CRT Reporter calculates
Biomass ¹⁰ 1 a. Public electricity and loss production ⁽¹⁾		CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates		CRT Reporter calculates	CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates CRT Reporter calculates
Lionid field	CRT Reporter calculates		CRT Reporter calculates	CRT Reporter orientation			CRT Reporter calculates	CRT Reporter calculates	CRT Repeter calculates
Solid faels	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Gaseous faels (0)	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Other fossil faels (7)	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Peat ⁽⁸⁾	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Biomass ⁽³⁾	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Drop-down list.									
I.A.I.a.i Electricity generation	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Liquid faels	IPCC 1 A.1.a.i - «Fael Consumption Data» SUM by fael type (Liquid Faels) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1 a.i «Fasl combustion emissions» -SUM by fasl type (Liquid Fasla) of column CO2	IPCC 1.A.1.a.i «Fuel combustion emissions» -SUM by fael type (Liquid Fuels) of column CH4	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fael type (Liquid Fuels) of column N2O</fuel>	IPCC 1.A.1.a.i <pael combustion="" emissions=""> .SUM by fuel type (Liquid Faels) of column Z. To be as a negative number.</pael>
Solid feels	IPCC 1 A.1.a.i - <fuel consumption="" data=""> SUM by fael type (Solid Faels) of Column TC</fuel>	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Solid Fuels) of column CO2</fuel>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Solid Fuels) of column CH4</fuel>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Solid Faels) of column N2O</fuel>	IPCC I.A.1 a.i «Pael combustion emissions» -3UM by fuel type (Solid Fuels) of column Z. To be e
Gaseous fuels (1)	IPCC 1 A.1 a.i - «Fuel Consumption Data» SUM by fuel type (Gaussian Fuels) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1 a.i «Fuel combustion emissiona» -SUM by fuel type (Onseous Fuels) of column COI	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fael type (Gaseous Faels) of column CH4</fuel>	IPCC 1.A.1.a.i «Fuel combustion emissions» -SUM by fael type (Gaseous Fuels) of column N2O	IPOC 1.A.1.a.i «Feel combustion emissions» -3UM by fuel type (Gaseous Fuels) of column Z. To
Other fessil faels (7)	IPCC 1 A.1 a.i - «Fuel Consumption Data» SUM by fuel type (Other Fossil Fuels) of Column TC	Compiled from Fuel Man	a CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1 a.i «Past combustion emissions» -3UM by fuel type (Other Fossil Pasts) of column (PIPCC 1.A.1 a.i <fuel combrastion="" emissions=""> -SUM by fael type (Other Fossil Fuels) of column (</fuel>	TPCC1A1ai (Parl combustion emissions) 3UM by fael type (Other Fossil Faels) of column ACO	[IPCC 1:A 1 a.i <fuel combustion="" emissions=""> -SUM by fuel type (Other Fossil Fuels) of column Z Instead as a mention number</fuel>
Peat ⁽⁰⁾	IPCC 1 A.1.a.i - «Fuel Consumption Data» SUM by fuel type (Peat) of Column TC	Compiled from Fuel Man	a CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Peat) of column CO2</fuel>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fael type (Peat) of column CH4</fuel>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Peat) of column N2O</fuel>	property as a sensitive random FCC 1.2.1 as 1-Feet combusiton emissions>-SUM by fuel type (Past) of column Z. To be entered protony results: FCC 1.2.1 as 1-Feet combusiton emissions>-SUM by fuel type (Biomass) of column Z. To be en-
Biomass ⁽³⁾	IPCC 1.A.1.a.i - «Fuel Consumption Data» SUM by fuel type (Biomans) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.i <fael combustion="" emissions=""> -SUM by fuel type (Biomass) of column CO2</fael>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Biomass) of column CH4</fuel>	IPCC 1.A.1.a.i <fuel combustion="" emissions=""> -SUM by fuel type (Biomass) of column N2O</fuel>	a newsitive reamber
A.1.a.ii. Combined heat and power generation	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates IPCC I.A. Last <fuel combustion="" emissions=""> -SUM by fael type (Liquid Fuels) of column Z. To b</fuel>
Liquid theis Solid faels	IPCC 1.A.1.a.ii - «Fuel Communition Data): SUM by fuel type (Liquid Fuels) of Column TC IPCC 1.A.1.a.ii - «Fuel Communition Data): SUM by fuel type (Solid Fuels) of Column TC						IPCC 1.A.1 a.ii «Fuel combustion emissions» -3UM by fuel type (Liquid Fuels) of column CH4 IPCC 1.A.1 a.ii «Fuel combustion emissions» -3UM by fuel type (Solid Fuels) of column CH4		entered as a negative comber- ing of the second sec
Onsecus faels (*)	IPCC1A.1.a.ii <puel consumption="" data=""> SUM by their type (Sond Poels) of Commit IC IPCC1A.1.a.ii <puel consumption="" data=""> SUM by fuel type (Gaseous Fuels) of Column TC</puel></puel>	Complete them Fuel Man	CRI Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	PCC 1.A.1.a.l. <for a="" control="" massion="" to=""> -SCM by first type (sold Pice) of column CO2</for>	IPCC 1.4.1 an erter contraction emissions - scole by their type (soud rules) of column CH4	PCC 1.A.1.a.ii «Pael conduction emissions» -SUM by feel type (Solid Puels) of column N2O PCC 1.A.1.a.ii «Pael conduction emissions» -SUM by feel type (Solid Puels) of column N2O	as a mention comber IPCC 1.4.1 a.u. < Fuel combustion emissions> -SUM by fuel type (Gaseous Fuels) of column Z. T
Other fassil faels (1)		Complete Bern Foel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPOC 1.4.1 a.is <fuel combosition="" emissions=""> -50 M by fait type (Onseeus Pans) of column CO. IPOC 1.4.1 a.is <fuel combosition="" emissions=""> -50 M by fait type (Other Ensel Fuels) of column</fuel></fuel>	2 IPCC 1.9, 1.8.1 (Put) combustion ministeric - aCost by four type (Galeous Potes) of column Criv CIPCC 1.9, 1.8.1 (Foul combustion amissions): AUM by foul type (Other Ease) Fouls) of column.	PCC 1.A.1.a.ti <put combuston="" emission=""> -305t by ton type (classed Pana) or comm 120 C IPCC 1.A.1.a.ti <put combuston="" emission=""> -30M by faul type (Other Fousil Fauls) of column 2</put></put>	
Peal (1)	IPCC 1.A.1.a.ii - «Fuel Consumption Data: SUM by fael type (Part) of Column TC					IPCC 1.A.1 a.i «Fuel combustion emissions» -SUM by fael type (Peat) of column CO2	IPCC 1 A.1 a ii (Fuel combustion emissions) -3UM by fuel type (Onlin 1 onlin 1 unit) of column	IPCC 1 A 1 a it (Fast combustion emissions) (SUM by fast type (Onth Form Fast)) of column N20	IPCC I.A.I.a.ii <fuel combustion="" emissions=""> -SUM by fuel type (Peat) of column Z. To be enter</fuel>
Biomasa ⁽³⁾	IPCC 1 A.1 a.ii - «Fuel Consumption Data» SUM by fuel type (Biomass) of Column TC					IPCC 1.A.1 a.ii «Fuel combustion emissions» -SUM by fuel type (Biomass) of column CO2	IPCC 1.A.1.a.ii (Fuel combustion emissions) -SUM by fuel type (Biomass) of column CH4	IPCC 1.A.1.a.ii «Fael combustion emissions» -SUM by fael type (Biomass) of column N2O	IPCC 1.4.1 a.u <fuel combustion="" emission="">-SUM by fael type (Biomass) of column Z. To be e</fuel>
A La iii. Heat plants	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Liquid fizels	IPCC 1 A.1 a iii - «Fael Consumption Data» SUM by fuel type (Liquid Faela) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.iti <fael combustion="" emissiona=""> -SUM by fuel type (Liquid Fuels) of column CO2</fael>	IPCC 1.A.1 a.iz <fuel combustion="" emissiona=""> -SUM by fuel type (Liquid Fuels) of column CH4</fuel>	IPCC 1.A.1.a.iii <fuel combustion="" emissiona=""> -SUM by fael type (Liquid Fuels) of column N2O</fuel>	IPCC 1.A.1 a iii «Pael combustion emissions» -SUM by fuel type (Liquid Faels) of column Z. To present and a sensition remains IPCC 1.A.1 a mill «Pael combustion emissions» -SUM by fuel type (Solid Faels) of column Z. To be IPCC 1.A.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
Solid faels	IPCC 1 A.1 a.ii - «Fuel Consumption Data» SUM by fuel type (Solid Fuels) of Column TC						IPCC 1.A.1 a.iii «Fuel combustion emissions» -SUM by fuel type (Solid Fuels) of column CH4		as a new size register
Gaseous faels (*)	IPCC 1.A.1.a.iii - «Fuel Consumption Data> SUM by fuel type (Gaseous Fuels) of Column TC	Compiled from Fuel Man	a CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.iii «Pael combustion emissions» -SUM by fuel type (Gaseous Fuels) of column CO	2 IPCC 1.A.1.a.iii «Fuel combustion emissions» -SUM by fael type (Gaseous Faels) of column CH	4 IPCC 1.A.1.a.iii «Fuel combustion emissions» -5UM by fuel type (Gaserus Fuels) of column N2C	
Other fossil faels (7)	IPCC 1 A. 1 a.ii «Fuel Consumption Data> SUM by fuel type (Other Fossil Fuels) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.iti <fael construction="" emissions=""> -SUM by fuel type (Other Fossil Faels) of column</fael>	CIPCC 1.A.1 a.iii <fuel combustion="" emissions=""> -SUM by fuel type (Other Fossil Fuels) of column</fuel>	CIPCC 1.A.1.a.iii «Fuel combustion emissions» «SUM by fuel type (Other Fossil Fuels) of column 1	are the second secon
Peat ⁽⁸⁾	IPCC 1 A.1.a.iii - «Fuel Consumption Data» SUM by fuel type (Peat) of Column TC						IPCC 1.A.1 a.iz <fuel combustion="" emissions=""> -SUM by fael type (Peat) of column CH4</fuel>	IPCC 1.4.1 a iii <fuel combustion="" emission="">-SUM by fuel type (Peat) of column N2O IPCC 1.4.1 a iii <fuel combustion="" emission="">-SUM by fuel type (Biomass) of column N2O</fuel></fuel>	persitive regular PCC 1A Lass «Fuel combustion emissions» -SUM by fuel type (Biomass) of colours Z. To be en
Biomass ⁽²⁾	IPCC 1.A.1 a.ii «Fuel Consumption Data» SUM by fuel type (Biomass) of Column TC CRT Reporter calculates	Compiled from Fuel Man	CET Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.a.iii «Fuel combustion emissions» -3UM by fuel type (Biomass) of column CO2 CRT Reporter calculates	IPCC 1.A.1 a iii «Fuel combustion emissions» -SUM by fael type (Biomass) of column CH4 CRT Reportsr calculates		A persitive number CRT Reporter calculates
Liquid faels	IPCC 1.A.1.b - <fuel consumption="" data=""> SUM by fuel type (Liquid Foels) of Column TC</fuel>		CRT Records whether	CRT Received adapted	CRT Received advance	IPCC 1.A.1.6 «Fuel combustion emissions» -SUM by fael type (Liquid Fuels) of column CO2	UK1 Reporter calculates IPCC 1.A.1.b <fuel conduction="" emissions=""> -SUM by fuel type (Liouid Fuels) of column CH4</fuel>		IPCC 1.A.1.6 <fuel (liquid="" -sum="" be<="" by="" column="" combustion="" emissions?="" fuel="" fuels)="" of="" td="" to="" type="" z.=""></fuel>
Solid feela	IPCC 1.A.1.b - <puel consumption="" data=""> SUM by fuel type (Solid Faela) of Column TC</puel>					IPCC 1.A.1.6 <fuel combustion="" emission=""> -sUM by fael type (Liquid Pdels) of column CO2 IPCC 1.A.1.6 <fuel combustion="" emission=""> -sUM by fael type (Solid Faels) of column CO2</fuel></fuel>	IPCC 1:A:1.6 <ptel combustion="" ministers=""> <1Col by for type (Equilibrium) of column CH4 IPCC 1:A:1.6 <ptel combustion="" ministers=""> <3UM by fuel type (Solid Fuels) of column CH4</ptel></ptel>	IPCC 1.4.1.6 <fuel combustion="" emissions=""> -sUM by fuel (ype (Lipon Fuels) of column N2O</fuel>	is a mentice enginer IPCC LA.1.6 «Puel combustion emissions» -3UM by fael type (Solid Faels) of column Z. To be en
Gaseous fuels 100	IPCC1A.1.6 - «Fuel Consumption Data» SUM by fael type (Onserus Fuels) of Column TC								a parentice combar IPCC 1 A 1h <fuel combastion="" emission(=""> .5UM by fuel type (Gasenus Fuels) of column 7. To h</fuel>
Other fossil faels (7)	IPCC 1.A.1.b - «Fuel Consumption Data» SUM by fael type (Other Fossil Fuels) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.6 «Fuel combustion emissions» -SUM by fael type (Other Fossil Fuels) of column C	O [PCC 1 A 1.b <fuel combustion="" emissions=""> -3UM by fuel type (Other Fossil Faels) of column C</fuel>	IPCC 1 A 1 b (Fuel combustion emissions): SUM by fuel type (Other Fossil Fuels) of column N2	[Feff] J. J. S. Charles and the mission > 50M by fast type (Other Fessel Fush) of column Z. The property of the second
Peat ⁽⁰⁾	IPCC 1.A.1.b - «Fuel Consumption Data» SUM by fuel type (Peat) of Column TC	Compiled from Fuel Man	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.b <fuel combustion="" emissions=""> -SUM by fael type (Peat) of column CO2</fuel>	IPCC 1 A 1.b <fuel combustion="" emissions=""> -5UM by fuel type (Peat) of column CH4</fuel>	IPCC 1.A.1.8 «Fuel combustion emissions» -SUM by fuel type (Peat) of column N2O	
Biomass ⁽¹⁾	IPCC 1 A.1.b - «Fuel Consumption Data» SUM by fael type (Biomass) of Column TC			CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.6 <fuel combustion="" emissions=""> -6UM by fael type (Biomass) of column CO2</fuel>	IPCC 1.A.1.b <fuel combustion="" emissiona=""> -SUM by fuel type (Biomass) of column CH4</fuel>	IPCC 1.4.1.b <fuel combustion="" emission=""> -SUM by fuel type (Biomans) of column N2O</fuel>	IPCC 1.A.1.5 «Fuel combustion emissions» -SUM by fael type (Biomass) of column Z. To be ente executive ramber
1.c. Manufacture of solid fuels and other energy industries17		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates		CRT Reporter calculates
Liquid foels	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates		CRT Reporter calculates
Solid feels	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Gasecus fuels (*)	CRT Reporter calculates		CRT Reporter calculates				CRT Reporter calculates CRT Reporter calculates	CRT Reporter calculates CRT Reporter calculates	CRT Reporter calculates
Other fassil faels (5) Peat (5)	CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates CRT Reporter calculates				CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates CRT Reporter calculates
Peat ⁽¹⁾ Biomass ⁽³⁾			CRT Reporter calculates CRT Reporter calculates				CRT Reporter calculates CRT Reporter calculates		CRT Reporter calculates CRT Reporter calculates
Boomans **	and address recently	out Aspetter outsides	Const Reporter Galessilles	cars Adjoint anciality	construction cancellates	International contractory	and subsets and and	and append an and	fore advance on concerns
A 1.c i Manufacture of solid faels	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Liquid fizels	IPCC 1.A.1.c.i -/Fuel Consumption Data> SUM by fuel type (Liquid Faels) of Column TC			CRT Reporter calculater			IPCC 1.A.1.c.i «Fuel combustion emissions» -SUM by fael type (Liquid Faels) of column CH4		IPCC 1.A.1.c.i <fuel combustion="" emissions=""> -SUM by fuel type (Liquid Fuels) of column Z. To b</fuel>
Solid faels	IPCC 1.A.1.ci - «Poel Consemption Data» SUM by feel type (Solid Foels) of Column TC						IPCC 1.A.1.c.i <fuel combustion="" emissions=""> -SUM by fael type (Solid Fuels) of column CH4</fuel>		as a negative number. IPCC 1.3.1.c.i <fuel combustion="" emissions="">-SUM by fuel type (Solid Fuels) of column Z. To be</fuel>
									as a negative number.
Gasecus fizels 100	IPCC 1 A.1.c.i - <fael consumption="" data=""> SUM by fael type (Gaseous Faels) of Column TC</fael>			CR1 Reporter calculates	CR I Reporter calculates	IPUC 1.A. 1.c.s <puet combustion="" emissions=""> -SUM by fuel type (Gaseous Fuels) of column CO2</puet>	µPCU 1.A.1.c.s <fuel combustion="" emissions=""> -SUM by fael type (Gaseous Faels) of column CH4</fuel>	IPCC 1.A.1.c.i <fuel combustion="" emissions=""> -SUM by fael type (Gaussian Faels) of column N2O</fuel>	interest as a neutrino register. Consistence of the type (consistence of the first
Other fossil faels (7)	IPCC 1.A.1.c.i - <fuel consumption="" data=""> SUM by fuel type (Other Fossil Faels) of Column TC</fuel>	Compiled from Fuel Man	a CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	IPCC 1.A.1.c.i <fael combustion="" emissions=""> -SUM by fuel type (Other Fossil Faels) of column (</fael>	OPCC 1.A.1.c.i <fuel combustion="" emissions=""> -SUM by fuel type (Other Fossil Fuels) of column (</fuel>	PCC1AL1CSParcementer massers - scott by set type (classes Point) of column ACO	in two sizes and two encoderation emissions," Solids by their type (other Found Fuels) of column 2 entered as a negative number.
Peat (%)	IPCC 1.A.1.c.i -/Fuel Consumption Data> SUM by fuel type (Peat) of Column TC	Compiled from Fuel Man	a CRT Reporter calculates			IPCC 1.A.1.c.i <fuel combustion="" emissions=""> -5UM by fuel type (Peat) of column CO2</fuel>	IPCC 1.A.1.c.i <fuel combustion="" emissions=""> -SUM by fael type (Peat) of column CH4</fuel>	IPCC 1.A.1.a.i «Fuel combustion emissions» -SUM by fuel type (Peat) of column N2O	IPCC 1.A.1.c.i <fuel combustion="" emissions="">-3UM by fuel type (Peat) of column Z. To be entere exercise comber</fuel>
				CRT Reporter calculates		IPCC 1 A 1 c i <parl (biomass)="" by="" co2<="" column="" contrastine="" emissions-="" of="" sitm="" td="" the="" type=""><td>IPCC 1 A 1 c) «Fuel combustion emissions». SIGM by fuel type (Biomass) of column CH4</td><td>IPEC 1 A.1 a i (First combustion emissions). SUM by fast type (Ricenses) of column N2O</td><td>negative summer. IPCC 1.A. 1.c.i <fuel combustion="" emissiona="">-SUM by fuel type (Biomass) of column Z. To be em</fuel></td></parl>	IPCC 1 A 1 c) «Fuel combustion emissions». SIGM by fuel type (Biomass) of column CH4	IPEC 1 A.1 a i (First combustion emissions). SUM by fast type (Ricenses) of column N2O	negative summer. IPCC 1.A. 1.c.i <fuel combustion="" emissiona="">-SUM by fuel type (Biomass) of column Z. To be em</fuel>
Biomass ⁽³⁾	IPCC 1.A.1.c.i - «Poel Consumption Data> SUM by foel type (Biomass) of Column TC		a CRT Reporter calculates	Cata Reporter calculates	CR 1 Reporter calculates		· · · · · · · · · · · · · · · · · · ·	a construct of an and an annual second of the type (paramout a construct of	a negative mamber.
I.A.I.c.ii. Oil and gas estraction	CRT Reporter calculates	CRT Reporter calculates				CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates
Liquid faels			CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates				
Solid feels			CRT Reporter calculates	CRT Reporter calculates	CRT Reporter calculates				



Making the Link

✓ There are a number of categories in the CRT from decision 5/CMA.3 that are from the 2019 Refinement to the 2006 IPCC Guidelines. We are exploring the best ways to accommodate these specific categories in the IPCC Inventory software to enable transparent and comparable mapping

Energy	IPPU	Waste
Charcoal and Biochar Production Coke Production Solid to Solid Fuel production Gasification Transformation (CRT further divides into coal-to-liquids and gas-to-liquids) Abandoned Oil Wells Gas Post-Meter Abandoned Gas Wells	 HFC production (CRT has HFC-134-a production) PFC Production SF₆ Production NF₃ Production Hydrogen Production Rare Earths Production Microelectromechanical systems Waterproofing of Electronic Circuits 	Active-aeration landfills (subcategory of managed waste disposal sites in CRT), and disaggregation into varying degrees of decomposable waste

Examples of (Sub-) Categories from 2019 Refinement/ UNFCCC CRT


- $\checkmark\,$ Exploring approach for confidentiality
- $\checkmark\,$ Considering role of notation keys in the IPCC software
- ✓ Flexibility



The Road Ahead

- Striving to ensure users will be able to use the IPCC Inventory Software to apply all tiers/ approaches in the 2006 IPCC Guidelines, or a combination thereof, to calculate their GHG inventory.
- Actively developing the mapping together with the UNFCCC to enable the updated IPCC Inventory software to "talk" to the UNFCCC CRT reporting tool, in line with Parties' request at CMA3 (COP26) in Glasgow.
- The best way for Parties to prepare for reporting under the ETF, is to start today.
- If you are interested in using the software, or testing, please contact ipcc-software@iges.or.jp
 - Learn about IPCC inventory software: <u>https://www.ipcc-nggip.iges.or.jp/software/index.html</u>
 - Understand the UNFCCC reporting requirements (MPGs and further guidance)

https://unfccc.int/sites/default/files/resource/cma2018_3_add2_new_advance.pdf https://unfccc.int/sites/default/files/resource/cma2021_10a2_adv_0.pdf







https://www.ipcc-nggip.iges.or.jp/index.html

