

**Annex 2 Waste Worksheets (all Waste Worksheets are shown here for completeness.)**

<b>Sector</b>		<b>Waste</b>				
<b>Category</b>		<b>Biological Treatment of Solid Waste</b>				
<b>Category Code</b>		<b>4B</b>				
<b>Sheet</b>		<b>1 of 1 Estimation of CH<sub>4</sub> emissions from Biological Treatment of Solid Waste</b>				
		<b>STEP 1</b>		<b>STEP 2</b>		<b>STEP 3</b>
<b>Biological Treatment System</b>	<b>Waste Category/ Types of Waste<sup>1</sup></b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		Total Annual amount treated by biological treatment facilities <sup>3</sup>	Emission Factor	Gross Annual Methane Generation	Recovered/flared Methane per Year	Net Annual Methane Emissions
		(Gg)	(g CH <sub>4</sub> /kg waste treated)	(Gg CH <sub>4</sub> )	(Gg CH <sub>4</sub> )	(Gg CH <sub>4</sub> )
				C = (A x B) x 10 <sup>-3</sup>		E = (C - D)
<b>Composting</b>						
<b>Anaerobic digestion at biogas facilities<sup>2</sup></b>						
						<b>Total</b>
<p>1 Information on the waste category should include information of the origin of the waste (MSW, Industrial, Sludge or Other) and type of waste (Food waste or Garden and Park Waste).</p> <p>2 If anaerobic digestion involves recovery and energy use of the gas, the emissions should be reported in the Energy Sector.</p> <p>3 Information on whether the amount treated is given as wet or dry weight should be given.</p>						



		Sector	Waste		
		Category	Biological Treatment of Solid Waste		
		Category Code	4B		
		Sheet	1 of 1 Estimation of N <sub>2</sub> O emissions from Biological Treatment of Solid Waste		
		STEP 1		STEP 2	
Biological Treatment System	Waste Category /Types of Waste <sup>1</sup>	A	B	C	
		Total Annual amount treated by biological treatment facilities <sup>3</sup> (Gg)	Emission Factor (g N <sub>2</sub> O/kg waste treated)	Net Annual Nitrous Oxide Emissions (Gg N <sub>2</sub> O)	
				C = (A x B) x 10 <sup>-3</sup>	
Composting					
Anaerobic digestion at biogas facilities <sup>2</sup>					
				<b>Total</b>	
<p>Information on the waste category should include information of the origin of the waste (MSW, Industrial, Sludge or Other) and type of waste (Food waste or 1 Garden and Park Waste).</p> <p>2 If anaerobic digestion involves recovery and energy use of the gas, the emissions should be reported in the Energy Sector.</p> <p>3 Information on whether the amount treated is given as wet or dry weight should be given.</p>					

Sector	Waste
Category	Waste Incineration
Category Code	4C1
Sheet	I of I Estimation of CO <sub>2</sub> emissions from Incineration of Waste

Type of Waste	A	B	C	D	E	F	G
	Total Amount of Waste Incinerated (Wet Weight)	Dry Matter Content <sup>1</sup>	Fraction of Carbon in Dry Matter <sup>2</sup>	Fraction of Fossil Carbon in Total Carbon <sup>3</sup>	Oxidation Factor	Conversion Factor	Fossil CO <sub>2</sub> Emissions
	(Gg Waste)	dm (fraction)	CF (fraction)	FCF (fraction)	OF (fraction)	44/12	(Gg CO <sub>2</sub> )
							$G = A \times B \times C \times D \times E \times F$
Municipal Solid Waste (MSW) <sup>4, 5</sup>							
Composition <sup>4,5</sup>	Plastics						
	Textiles						
	Rubber						
	Nappies						
Industrial solid waste							
Hazardous waste							
Clinical waste							
Sewage sludge							
Other (specify)							
<b>Total</b>							

<sup>1</sup> For default data and relevant equations on the dry matter content in MSW and other types of waste, see Section 5.3.3 in Chapter 5.

<sup>2</sup> For default data and relevant equations on the fraction of carbon, see Section 5.4.1.1 in Chapter 5.

<sup>3</sup> For default data and relevant equations on the fraction of fossil carbon, see Section 5.4.1.2 in Chapter 5.

<sup>4</sup> Users may either enter all MSW incinerated in the MSW row or the amount of waste by composition by adding the appropriate rows.

<sup>5</sup> All relevant fractions of fossil C should be included. For consistency with the CH<sub>4</sub> and N<sub>2</sub>O sheets, the total amount incinerated should be reported here. However the fossil CO<sub>2</sub> emissions from MSW should be reported either for total MSW or its components.



Sector	Waste
Category	Open Burning of Waste
Category Code	4C2
Sheet	1 of 1 Estimation of total amount of waste open-burned

**STEP 1**

Region, city, etc.	A	B	C	D	E	F
	Population	Fraction of Population Burning Waste	Per Capita Waste Generation	Fraction of the waste amount burned relative to the total amount of waste treated	Number of days by year 365	Total Amount of MSW Open-burned
P (Capita)	P <sub>frac</sub> (fraction)	MSW <sub>P</sub> (kg waste/capita/day)	B <sub>frac</sub> <sup>1</sup> (fraction)	(day)	MSW <sub>B</sub> (Gg/yr)	
					F = A x B x C x D x E x 10 <sup>-6</sup>	
Sum of regions, cities, etc. (Total amount of MSW open-burned in the country)						
<b>Total</b>						

1 When all the amount of waste is burned B<sub>frac</sub> could be considered equal 1. When a substantial quantity of waste in open dumps is burned, a relatively large part of waste is left unburned. In this situation, B<sub>frac</sub> should be estimated using survey or research data available or expert judgement.

Sector	Waste				
Category	Waste Incineration				
Category Code	4C1				
Sheet	I of I Estimation of CO <sub>2</sub> emissions from incineration of fossil liquid waste				
Type of Waste	A	B	C	D	E
	Total Amount of Fossil Liquid Waste Incinerated (Weight)	Fossil Carbon Content of Fossil Liquid Waste	Oxidation Factor for Fossil Liquid Waste of type i	Conversion Factor	Fossil CO <sub>2</sub> Emissions
	Gg Waste	CL (fraction)	OF (fraction)	44/12	(Gg CO <sub>2</sub> )
					E = A x B x C x D
Lubricants					
Solvents					
Waste oil					
Other (specify)					
<b>Total</b>					

Sector	Waste						
Category	Open Burning of Waste						
Category Code	4C2						
Sheet	1 of 1 Estimation of CO <sub>2</sub> emissions from Open Burning of Waste						
STEP 1			STEP 2				
Type of Waste	F	G	H	I	J	K	L
	Total Amount of Waste open-burned (Wet Weight)  (Gg Waste)	Dry Matter Content <sup>1</sup>  dm (fraction)	Fraction of Carbon in Dry Matter <sup>2</sup> CF (fraction)	Fraction of Fossil Carbon in Total Carbon <sup>3</sup> FCF (fraction)	Oxidation Factor OF (fraction)	Conversion Factor  44/12	Fossil CO <sub>2</sub> Emissions  (Gg CO <sub>2</sub> )
	$F = A \times B \times C \times D \times E \times 10^{-6}$ <sup>4</sup>						$L = F \times G \times H \times I \times J \times K$
Municipal Solid Waste (MSW) <sup>5,6</sup>	comes from previous table						
Composition <sup>5,6</sup>	Plastics						
	Textiles						
	Rubber						
	Nappies						
	etc						
	add as needed						
Other (specify)							
<b>Total</b>							
<p>1 For default data and relevant equations on the dry matter content in MSW and other types of waste, see Section 5.3.3 in Chapter 5.</p> <p>2 For default data and relevant equations on the fraction of carbon, see Section 5.4.1.1 in Chapter 5.</p> <p>3 For default data and relevant equations on the fraction of fossil carbon, see Section 5.4.1.2 in Chapter 5.</p> <p>4 The amount MSW can be calculated in the previous sheet "Estimation of Total Amount of Waste Open-burned". See also Equation 5.7.</p> <p>5 Users may either enter all MSW incinerated in the MSW row or the amount of waste by composition by adding the appropriate rows.</p> <p>6 All relevant fractions of fossil C should be included. For consistency with the CH<sub>4</sub> and N<sub>2</sub>O sheets, the total amount open-burned should be reported here. However, the fossil CO<sub>2</sub> emissions from MSW should be reported either for total MSW or its components.</p>							

Sector	Waste		
Category	Waste Incineration		
Category Code	4C1		
Sheet	I of I Estimation of CH <sub>4</sub> emissions from Incineration of Waste		
Type of Waste	A	B	C
	Amount of Waste Incinerated (Wet Weight) <sup>1</sup> (Gg Waste)	Methane Emission Factor  (kg CH <sub>4</sub> /Gg Wet Waste) <sup>1</sup>	Methane Emissions  (Gg CH <sub>4</sub> )
			$C = A \times B \times 10^{-6}$ <sup>2</sup>
Municipal Solid Waste			
Industrial solid waste			
Hazardous waste			
Clinical waste			
Sewage sludge			
Other (specify)			
			<b>Total</b>
<p>1 If the total amount of waste is expressed in terms of dry waste, the CH<sub>4</sub> emission factor needs to refer to dry waste instead.</p> <p>2 10<sup>-6</sup> converts result into Gg.</p>			

Sector	Waste		
Category	Open Burning of Waste		
Category Code	4C2		
Sheet	I of I Estimation of CH <sub>4</sub> emissions from Open Burning of Waste		
Type of Waste	F	G	H
	Total Amount of Waste Open-burned (Wet Weight) <sup>1,2</sup> (Gg Waste)	Methane Emission Factor (kg CH <sub>4</sub> /Gg Wet Waste) <sup>2</sup>	Methane Emissions (Gg CH <sub>4</sub> )
			H= F x G x 10 <sup>-6</sup> <sup>3</sup>
Municipal Solid Waste			
Other (specify)			
<b>Total</b>			
<p>1 Total amount of MSW open-burned is obtained by estimates in the Worksheet "Total amount of waste open-burned".</p> <p>2 If the total amount of waste is expressed in term of dry waste, the CH<sub>4</sub> emission factor needs to refer to dry waste instead.</p> <p>3 10<sup>-6</sup> converts result into Gg.</p>			

Sector	Waste		
Category	Waste Incineration		
Category Code	4C1		
Sheet	I of I Estimation of N <sub>2</sub> O emissions from Incineration of Waste		
Type of Waste	A	B	C
	Total Amount of Waste Incinerated (Wet Weight <sup>1</sup> ) (Gg Waste)	Nitrous Oxide Emission Factor (kg N <sub>2</sub> O/Gg Wet Waste) <sup>1</sup>	Nitrous Oxide Emissions (Gg N <sub>2</sub> O)
			$C = A \times B \times 10^{-6}$ <sup>2</sup>
Municipal Solid Waste			
Industrial solid waste			
Hazardous waste			
Clinical waste			
Sewage sludge			
Other (specify)			
<b>Total</b>			
<p>1 If the total amount of waste is expressed in terms of dry waste, the N<sub>2</sub>O emission factor needs to refer to dry waste instead.</p> <p>2 10<sup>-6</sup> converts result into Gg.</p>			

Sector	Waste		
Category	Open Burning of Waste		
Category Code	4C2		
Sheet	I of I Estimation of N <sub>2</sub> O emissions from Open Burning of Waste		
Type of Waste	F	G	H
	Total Amount of Waste Open-burned (Dry Weight) <sup>1</sup> (Gg Waste)	Nitrous Oxide Emission Factor (kg N <sub>2</sub> O/Gg Dry Waste)	Nitrous Oxide Emissions (Gg N <sub>2</sub> O)
			H= F x G x 10 <sup>-6</sup> <sup>2</sup>
Municipal Waste	Solid		
Other (specify)			
			Total
<p>1 These data are given by multiplying columns F and G in sheet 1 of 1 "Estimation of CO<sub>2</sub> emissions from Open Burning of Waste" in page A1.7</p> <p>2 10<sup>-6</sup> converts result into Gg</p>			

Sector	Waste			
Category	Domestic Wastewater Treatment and Discharge			
Category Code	4D1			
Sheet	1 of 3 Estimation of Organically Degradable Material in Domestic Wastewater			
<b>STEP 1</b>				
Region or City	A	B	C	D
	Population (P) cap	Degradable organic component (BOD) (kg BOD/cap/yr) <sup>1</sup>	Correction factor for industrial BOD discharged in sewers (I) <sup>2</sup>	Organically degradable material in wastewater (TOW) (kg BOD/yr) D = A x B x C
			<b>Total</b>	
<p>1 g BOD/cap/day x 0.001 x 365 = kg BOD/cap/yr</p> <p>2 Correction factor for additional industrial BOD discharged into sewers, (for collected the default is 1.25, for uncollected the default is 1.00) (see page 6.14).</p>				

Sector	Waste		
Category	Domestic Wastewater Treatment and Discharge		
Category Code	4D1		
Sheet	2 of 3 Estimation of CH <sub>4</sub> emission factor for Domestic Wastewater		
<b>STEP 2</b>			
Type of treatment or discharge	A	B	C
	Maximum methane producing capacity (B <sub>0</sub> ) (kg CH <sub>4</sub> /kgBOD)	Methane correction factor for each treatment system (MCF <sub>j</sub> )	Emission factor (EF <sub>j</sub> ) (kg CH <sub>4</sub> /kg BOD) C = A x B
add as needed			

Sector		Waste						
Category		Domestic Wastewater Treatment and Discharge						
Category Code		4D1						
Sheet		3 of 3 Estimation of CH <sub>4</sub> emissions from Domestic Wastewater						
<b>STEP 3</b>								
Income group	Type of treatment or discharge pathway	A	B	C	D	E	F	G
		Fraction of population in income group (U <sub>i</sub> ) (fraction)	Degree of utilization (T <sub>ij</sub> ) (fraction)	Emission Factor (EF <sub>j</sub> ) (kg CH <sub>4</sub> /kg BOD)	Organically degradable material in wastewater (TOW) (kg BOD/yr)	Sludge removed (S) (kg BOD/yr)	Methane recovered and flared (R) (kg CH <sub>4</sub> /yr)	Net methane emissions (CH <sub>4</sub> ) (kg CH <sub>4</sub> /yr)
				Sheet 2 of 3	Sheet 1 of 3			$G = [(A \times B \times C) \times (D - E)] - F$
Rural								
Urban income	high							
Urban income	low							
<b>Total</b>								

Sector	Waste			
Category	Industrial Wastewater Treatment and Discharge			
Category Code	4D2			
Sheet	1 of 3 Total Organic Degradable Material in wastewater for each industry sector			
<b>STEP 1</b>				
Industry Sectors	A	B	C	D
	Total industry product  (P <sub>i</sub> ) (t <sub>product</sub> /yr)	Wastewater generated  (W <sub>i</sub> ) (m <sup>3</sup> /t <sub>product</sub> )	Chemical Oxygen Demand (COD <sub>i</sub> ) (kgCOD/m <sup>3</sup> )	Total organic degradable material in wastewater for each industry sector (TOW <sub>i</sub> ) (kgCOD/yr)
				D = A x B x C
Industrial sector 1				
Industrial sector 2				
Industrial sector 3				
add as needed				
<b>Total</b>				

Sector	Waste		
Category	Industrial Wastewater Treatment and Discharge		
Category Code	4D2		
Sheet	2 of 3 Estimation of CH <sub>4</sub> emission factor for Industrial Wastewater		
<b>STEP 2</b>			
Type of treatment or discharge	A	B	C
	Maximum Methane Producing Capacity (B <sub>0</sub> ) (kg CH <sub>4</sub> /kg COD)	Methane Correction Factor for the Treatment System (MCF <sub>j</sub> ) (-)	Emission Factor (EF <sub>j</sub> ) (kg CH <sub>4</sub> /kg COD) C = A x B
add as needed			

Sector	Waste					
Category	Industrial Wastewater Treatment and Discharge					
Category Code	4D2					
Sheet	3 of 3 Estimation of CH <sub>4</sub> emissions from Industrial Wastewater					
<b>STEP 3</b>						
Industrial sector	Type of treatment or discharge pathway	A Total organic degradable material in wastewater for each industry sector (TOW <sub>i</sub> ) (kg COD/yr)	B Sludge removed in each industry sector (S <sub>i</sub> ) (kg COD/yr)	C Emission factor for each treatment system (EF <sub>i</sub> ) (kg CH <sub>4</sub> /kg COD)	D Recovered CH <sub>4</sub> in each industry sector (R <sub>i</sub> ) (kg CH <sub>4</sub> /yr)	E Net methane emissions (CH <sub>4</sub> ) (kg CH <sub>4</sub> /yr)
Units		Sheet 1 of 3		Sheet 2 of 3		E = [(A - B) x C] - D
Industrial sector 1						
Industrial sector 2						
Industrial sector 3						
add as needed						
<b>Total</b>						



Sector	Waste				
Category	Domestic Wastewater Treatment and Discharge				
Category Code	4D1				
Sheet	2 of 2 Estimation of emission factor and emissions of indirect N <sub>2</sub> O from Wastewater				
	A	B	C	D	E
	Nitrogen in effluent (N <sub>EFFLUENT</sub> )  (kg N/year)	Emission factor  (kg N <sub>2</sub> O-N/kg N)	Conversion factor of kg N <sub>2</sub> O-N into kg N <sub>2</sub> O  44/28	Emissions from Wastewater plants (default = zero) (kg N <sub>2</sub> O/year)	Total N <sub>2</sub> O emissions  (kg N <sub>2</sub> O/year)  E = (A x B x C) - D