()

IPCC Inventory Software

User Manual Version 2.85

Compiled by:	SPIRIT Inc., Bratislava, Slovak Republic, January 2013
Supervised by:	Technical Support Unit of the IPCC Task Force on National Greenhouse Gas Inventories

Revised:

March 2023 (Version 2.85)

Contents

1	BACKGROU	JND AND PURPOSE	3 -
2	GETTING S	TARTED WITH THE SOFTWARE	4 -
	2.1 FIRST RUI	۷	4 -
	2.1.1 De	efine Superuser	4 -
	2.1.2 Cl	noose country	4 -
	2.1.3 Cr	eate Inventory Year	4 -
	2.2 CHECK AN	ID MODIFY INVENTORY PREFERENCES	5 -
		ID SET DEFAULT CO2 EQUIVALENTS	
	2.3.1 Fi	xed CO2 Equivalent types	6 -
	2.3.2 Ad	dding custom CO $_2$ Equivalent type	6 -
		eleting custom CO2 Equivalent type	
		tting default CO2 Equivalent type	
	2.4 DEFINE U	SERS	6 -
	2.4.1 Lis	st of Users	7 -
	2.4.2 Se	lected User Details	7 -
	2.4.3 Ad	dding new user	7 -
	2.4.4 Ec	liting existing user	8 -
		eleting existing user	
	2.4.6 Re	esetting password of existing user	8 -
	2.5 DISTRIBU	TE DATABASE	8 -
		iving database	
	2.5.2 Sł	are one database vs. maintaining multiple databases	8 -
	2.5.3 U	sing the software in an inventory team	8 -
3	WORKING	WITH THE SOFTWARE	- 10 -
	3.1 MAIN WI	NDOW	10 -
	3.2 MAIN ME	NU STRUCTURE	10 -
	3.2.1 AJ	oplication menu	- 10 -
	3.2.1.1	Preferences	- 10 -
	3.2.1.2	Language	- 15 -
	3.2.1.3	Exit	- 15 -
	3.2.2 De	atabase menu	- 15 -
	3.2.2.1	Open/Close Database	- 15 -
	3.2.2.2	Save as	- 16 -
	3.2.2.3	Properties	- 16 -
	3.2.2.4	Logout	- 17 -
	3.2.3 In	ventory Year menu	- 17 -
	3.2.3.1	Choosing Inventory Year	- 17 -
	3.2.3.2	Creating new Inventory Year	- 17 -
	3.2.3.3	Efficient data entry using Inventory Year menu	
	3.2.4 W	orksheets menu	
	3.2.5 Re	ports menu	- 18 -
	3.2.5.1	Summary table	
	3.2.5.2	Short Summary table	- 18 -
	3.2.5.3	Sectoral tables	- 18 -
	3.2.5.4	Background tables	- 19 -
	3.2.5.5	Reporting Table 7a – Uncertainties	
	3.2.6 To	pols	
	3.2.6.1	Uncertainty Analysis	
	3.2.6.2	Reference Approach	
	3.2.6.3	Key Category Analysis	
		port/Import	
	3.2.7.1	Export Worksheet Data	
	3.2.7.2	Export CO ₂ Equivalents	
	3.2.7.3	Export NAI Reporting Tables	
	3.2.7.4	Import Worksheet Data	
		•	

		3.2.7	.5 Import CO ₂ Equivalents	23 -
	3.	2.8	Administrate	23 -
		3.2.8	.1 Users	23 -
		3.2.8	.2 CO ₂ Equivalents	23 -
		3.2.8	.3 Delete inventory	23 -
		3.2.8	.4 AFOLU Land Type Manager	24 -
		3.2.8	.5 AFOLU Land Representation Manager	25 -
		3.2.8	.6 AFOLU Livestock Manager	26 -
		3.2.8	.7 Guidelines Information Texts	29 -
	3.	2.9	Window	31 -
	3.	2.10	Help	31 -
4	w	ORKIN	NG WITH THE WORKSHEETS	32 -
	4.1	BASIC	LAYOUT OF THE WORKING AREA	32 -
	4.2	WOR	KING WITH WINDOWS AND AREAS	32 -
	4.	2.1	Undocking windows	32 -
	4.	2.2	Docking floating windows	33 -
	4.	2.3	Auto-hiding docking windows	33 -
	4.	2.4	IPCC 2006 Categories Navigation Window (tree)	33 -
	4.	2.5	IPCC 2006 Guidelines window	34 -
	4.	2.6	Worksheet notes window	
	4.	2.7	User notes window	34 -
	4.	2.8	Time series window	35 -
	4.3	WOR	KING WITH THE GRID	
		3.1	Row Status column	
		3.2	Adding new row	
		3.3	Canceling adding new row	
		3.4	Editing existing row	
		3.5	Canceling editing existing row / Undoing cell changes	
		3.6	Deleting rows	
		3.7	Value List cells	
		3.8	Notation Keys	
			Series Data Entry	
		4.1	Parameters	
		4.2	Row Indentifiers	
		4.3	Export to Excel	
		4.4	Import from Excel	
		4.5	Copy and Paste functions	
		4.6	Chart	
5	E)		LE WORKSHEETS	
	5.1		Combustion Activities and Emissions	
	-	1.1	Fuel Type	
	5.	1.2	Uncertainties for Fuel Type	42 -
AN	INEX	1		

1 Background and Purpose

IPCC National Greenhouse Gas Inventories Programme and its Technical Support Unit located at IGES in Hayama, Japan, initiated the development of new GHG Inventory Software ("IPCC Inventory Software"). The purpose of this software is to implement Tier1, Tier2 and Tier 3 methodologies in the 2006 IPCC Guidelines for National Greenhouse Gas Inventories for the preparation of national GHG inventories according to 2006 IPCC Guidelines either for complete inventories or for separate categories or groups of categories. The primary target groups of users are inventory compilers who wish to apply default 2006 IPCC Guidelines methods, trainers and trainees on national GHG inventory compilation, and Parties not included in Annex I of the Convention having limited resources without their own inventory systems.

The basic inventory data model looks like Figure 1.1




Figure 1.1 - Basic data relations

The basic approach of the software is to enable filling out the 2006 IPCC Guidelines category worksheets with the activity and emission factor data. In addition it also supports many other functions related to database administration, Quality Control, data export / import as well as data reporting, as shown on the Figure 1.2.




Figure 1.2 - Basic software modules

2 Getting started with the software

The following chapters describe the steps necessary to initialize the software and the database. After performing these steps, the database is ready for distribution and sharing among inventory compilers participating in the national inventory, if desired, maintaining consistency among users.

2.1 First run

After installing the IPCC Inventory Software you are ready to launch the software for the first time. You will be asked to perform several mandatory actions described in the following sections to initialize the software and the database.

2.1.1 Define Superuser

It is necessary to define a **Superuser** that is responsible for defining additional users and has full control over the application and corresponding database (Figure 2.1).

IPCC 2006			
Welcome to 2006	IPCC Software for National Greenhouse Gas Inventories		
The a	pplication is being run for the first time.		
	It is necessary to define superuser. Superuser has full control over database and application and is responsible for defining and managing additional users working with this instance of application.		
Please, supply sup	Please, supply superuser login name and password in the textboxes		
Login			
Password			
Confirm Password			
Password hint			
ОК	Cancel		

Figure 2.1- Define Super User

2.1.2 Choose country

In this step it is necessary to choose desired **Region** and **Country/Territory** following Figure 2.2 below. Country is relevant for F-Gases, AFOLU and Waste worksheets. Selected country has no direct impact on other worksheets (Energy, IPPU). Please note that this country list is based on the UN list, which is available at http://unstats.un.org/unsd/methods/m49/m49regin.htm.

Choose Country/Territ	ory
С	hoose Country/Territory
Region	Europe
Country/Territory	Slovakia 🔹
	<u>Q</u> K Cancel

Figure 2.2 - Choose Country

2.1.3 Create Inventory Year

In this step it is necessary to create initial **Inventory Year** (Figure 2.3). After creating **Inventory Year**, software is successfully initialized and prepared for use or for additional tuning described in the next chapters.



Figure 2.3 – Creating Inventory Year

2.2 Check and modify Inventory Preferences

Use *Application / Preferences* menu to access Application preferences (Figure 2.4). Switch to *Inventory Year* tab as shown in the picture below.

Application preferences	
Application prefe	erences
General Database Worksheets Reports Inventory Year Gri	d
Start inventory year 1990	
End inventory year 2011	A V
Base year for assessment of uncertainty in trend 1990	A V
	OK Cancel Apply

Figure 2.4 – Setting Inventory Preferences

Check and modify following values, if necessary:

- 1) Use **Start inventory year** numeric box to set starting inventory year. Default is 1990.
- 2) Use **End inventory year** numeric box to set ending inventory year. Default is current year.
- 3) Use **Base Year for assessment of uncertainty in trend** numeric box to define Base Year for assessment of uncertainty in trend. Default is 1990.

If the start inventory year needs to be changed to earlier than 1990 (e.g. 1980), it is recommended to create new inventory for that year before starting working with the worksheets (menu *Inventory Year / Create New...*) or before distributing the database to other compilers.

After lowering start inventory year and creating new inventory for that year, you can delete default empty 1990 Inventory created in step 2.1.3 using *Administrate / Delete inventory* menu, if necessary.

2.3 Check and set default CO₂ Equivalents

Currently active (default) **CO**₂ **Equivalent Type** is indicated in the status bar located at the bottom of the main software window.

Use Administrate / CO₂ Equivalents menu to access management of CO₂ Equivalents.

	C	O2 Equivalents	
уре	SAR GWPs (100 year time horizon)	✓ <u>S</u> et as default	Add type
		Gas Group	
P • 🕨 🤇	CO2, CH4 & N2O		
	Gas		CO2 Equivalent
	CARBON DIOXIDE (CO2)		1
	METHANE (CH4)		21
	NITROUS OXIDE (N2O)		310
		Gas Group	
÷.	Ethers and Halogenated Ethers		
	HFCs		
	Gas		CO2 Equivalent
	HFC-23 (CHF3)		11700
	HFC-32 (CH2F2)		650
	HFC-41 (CH3F)		150
	HFC-43-10mee (CF3CHFCHFCF2CF3)		1300
	HFC-125 (CHF2CF3)		2800

Figure 2.5 – CO₂ Equivalents

2.3.1 Fixed CO₂ Equivalent types

The **Type** list contains 4 fixed types with fixed CO₂ Equivalent values, that cannot be changed or deleted:

- SAR GWPs these are set as default
- TAR GWPs
- AR4 GWPs
- AR5 GWPs

2.3.2 Adding custom CO₂ Equivalent type

To add custom **CO₂ Equivalent type**, follow the next steps:

- 1) Click Add type... button
- 2) Enter the unique name of the new type when asked and click OK new custom CO₂ Equivalent type will appear within the **Type** list.
- 3) Use grid to go through all gases within all Gas groups and enter desired CO₂ Equivalent Values

2.3.3 Deleting custom CO₂ Equivalent type

To delete custom CO₂ Equivalent type, follow the next steps:

- 1) Use **Type** list to select custom CO₂ Equivalent type to be deleted
- 2) Click **Delete type** button and commit or cancel deletion when asked

2.3.4 Setting default CO₂ Equivalent type

To set the default CO_2 Equivalent type to be used for calculations within the whole software, follow the next steps:

- 1) Use **Type** list to select desired CO₂ Equivalent type
- 2) Click **Set as default** button to set it as default new default CO₂ Equivalent type will be indicated in the status bar located at the bottom of the main software window.

2.4 Define users

Use Administrate / Users menu to access User Management system which is designated for adding new users and editing and deleting existing users in the currently open database.

😫 IPCC 2006 - User Management		×
	Compiler2	
List of Users	Selected User Details	
	Login Compiler2 Superuser	
Gergus (You)	 Allowed worksheets 1 - Energy 1.A - Fuel Combustion Activities 1.B - Fugitive emissions from fuels 1.C - Carbon dioxide Transport and Stora 2 - Industrial Processes and Product Use 2.A - Mineral Industry 2.B - Chemical Industry 2.C - Metal Industry 2.C - Metal Industry 2.E - Electronics Industry 2.F - Product Uses as Substitutes for Ozo 2.G - Other Product Manufacture and Use 2.H - Other 3 - Agriculture, Forestry, and Other Land Use 3.A - Livestock 3.B - Land 3.C - Aggregate sources and non-CO2 em 3.D - Other 4.A - Solid Waste Disposal 4.B - Biological Treatment of Solid Waste 4.D - Wastewater Treatment and Discharg 4.E - Other (please specify) 5 - Other 3.A - Indirect N2O emissions from the atm 5.B - Other (please specify) 	▲ E Set Password Qose

Figure 2.6 – User Management

2.4.1 List of Users

This section contains the list of all users defined in the database divided into two groups:

- Superusers contains the list of all Superusers. User marked blue represents currently logged in user. Following restrictions apply for Superusers:
 - Currently logged in user is prohibited to remove itself from the Superusers group for security reasons.
 - Currently logged in user is prohibited to delete itself
 - All worksheets are allowed automatically without possibility to change the list of allowed worksheets
- Users contains the list of ordinary users. Following restrictions apply:
 - Access to Administrate section of the software is prohibited
 - Can see and edit only worksheets specified as Allowed Worksheets

2.4.2 Selected User Details

- Login represents the login name. Login name must be unique within one particular database.
- Superuser defines the user as a Superuser (if checked)
- Allowed Worksheets defines the list of worksheets user can see and edit (applies to ordinary users only)

2.4.3 Adding new user

Take following steps to define new user:

- 1) Enter the desired unique login name into the **Login** textbox
- 2) Use Superuser checkbox to define user as a Superuser (checked) or ordinary user (unchecked)
- 3) In case of ordinary user define Allowed Worksheets for the user to work with
- 4) Click **Set password** button to explicitly set password for new user
- 5) Click Add new button to save new user into database

2.4.4 Editing existing user

Take following steps to edit existing user:

- 1) Click on the desired user within List of users
- 2) Change desired user details
- 3) Click Save button to save changes into database

2.4.5 Deleting existing user

Take following steps to delete existing user:

- 1) Click on the desired user within List of users
- 2) Click Delete button to delete user
- 3) Commit or cancel deletion when asked

2.4.6 Resetting password of existing user

Take following steps to reset existing user's password:

- 1) Click on the desired user within List of users
- 2) Click Set password to reset password to new one
- 3) Enter and confirm new password when asked

2.5 Distribute database

After performing all steps described in the previous chapters, the database is ready to be used or distributed to additional inventory compilers participating on national inventory, if necessary.

2.5.1 Saving database

Use *Database / Save As...* menu to save currently open database to a new file:

- 1) Select destination folder and file
- 2) Choose whether to remove password protection (see note below)
- 3) Decide whether to compress (ZIP) database file (compressed database file must be uncompressed (unzipped) before opening it in the software).

NOTE: Do not remove password protection. Removing the password protection will prevent the database from opening in the software (Software strictly accepts password protected database only for security reasons).

2.5.2 Share one database vs. maintaining multiple databases

Now you can decide how you would prefer the database to be distributed. There are the following possibilities:

- Share database file on a network drive copy your database file created in chapter 2.5.1 to some shared folder on the network, where other inventory compilers have read/write access. This alternative is strongly recommended, because after making administrative changes, all compilers are automatically affected.
- 2) Send a copy of database file created in chapter 2.5.1 to each of the inventory compilers (e.g. via e-mail). Administrative changes must be performed within each copy of the database to maintain consistency across inventory compilers. This approach can easily lead to inconsistency amongst compilers and therefore is not recommended.

2.5.3 Using the software in an inventory team

The safe and simple way to share the data between users is to share one database. The following steps, 2) through 4) should be performed iteratively. Figure 2.7 shows the data-flow in an inventory team.

- 1) The project manager should initialize the database as described in Chapter 2.1 2.4.
- 2) The project manager provides the database (ACCDB file) to each user.
- 3) After users update the data to their database, this data should be exported as XML file (see Chapter 3.2.7).
- 4) The manager imports the XML file to update the database.

This will reduce the chances of losing or overwriting the data unintentionally.




Figure 2.7 – Using the software in an inventory team

3 Working with the Software

3.1 Main window

Main window is a Multiple Document Interface window which acts as a container for all other software dialogs and windows.




Figure 3.1 – Main window

It consists of:

- Window title Main software title followed by the login name of currently logged in user and optionally name of the currently active child window.
- Main menu (top) for accessing all of the software functions / modules
- Working area (center) place where all dialogs and child windows are displayed
- Status bar (bottom) bar that contains useful information related to currently open database, currently chosen Inventory Year, etc.

3.2 Main menu structure

3.2.1 Application menu

3.2.1.1 Preferences

This opens dialog window that allows the user to adjust preferred working area settings, like appearance of dialogs, database related preferences and backup, default number of decimal places shown in worksheets and reports, range of inventory years and coloring and other properties of grids.

General

Application preferences	x
Application preferences	
General Database Worksheets Reports Inventory Year Grid	
✓ Start main application window maximized	
✓ Prompt user on application exit	
✓ Show login dialog after logout	
V Show Choose Inventory Year dialog after login	
V Show informative message box after choosing Inventory Year	
OK Cancel Apply	

Figure 3.2 – General preferences

- Start main application window maximized if checked, main application window size will be automatically scaled to fit the whole available screen after starting the software.
- **Prompt user on application exit** if checked, user is always prompted whether to really exit application or not.
- Show login dialog after logout if checked, new login dialog will appear automatically after currently logged in user logs out.
- Show choose inventory year dialog after login if checked, user is prompted to choose inventory year to work with. If unchecked, previously used inventory year will be activated automatically.
- Show informative message box after choosing Inventory Year if checked, user is informed of currently active inventory year after activating particular inventory year (activated automatically or by user action).

Database

Application preferences	
Application preferences	
General Database Worksheets Reports Inventory Year Grid	
 Øpen last used database at application startup Show login dialog after opening database Show database properties dialog after opening database Show Open Database dialog after closing current database Prompt before closing current database 	
Backup Prompt for backup if last backup older than 7 🚔 day(s) Aways prompt for backup after opening database	
OK Cancel	Apply

Figure 3.3 – Database preferences

- **Open last used database at application startup** if checked, previously database will be open automatically at startup; otherwise user will have to explicitly open the desired database.
- Show login dialog after opening database if checked, login dialog will be displayed automatically after opening the database file; otherwise user will have to explicitly open login dialog via menu.
- Show database properties dialog after opening database if checked, dialog containing currently open database details will be shown automatically after opening database file.
- Show Open Database dialog after closing current database if checked, Open Database dialog will be automatically shown after closing current database.
- **Prompt before closing current database** if checked, user will be asked to confirm the closing of the current database; otherwise the database will be closed without warning.
- **Prompt for backup if last backup older than N day(s)** user is automatically asked to make a backup of the database if last backup is older than N day(s).
- Always prompt for backup after opening database if checked, user is asked to make a backup of the database every time the database is open, no matter how old the last backup.

Worksheets

Application preferences	×
Application preferences	
General Database Worksheets Reports Inventory Year Grid	
✓ Open worksheets window after login ✓ Open worksheets window maximized ✓ Expand full IPCC 2006 Category tree structure by default ✓ Automatically navigate to last visited IPCC 2006 Category Maximum number of decimal places 5 ÷ Zero padding □	
OK Cancel	Apply

Figure 3.4 – Worksheet preferences

- **Open worksheets window after login** if checked, window containing worksheets will be automatically open after user logs in; otherwise user will have to open worksheets window via menu.
- **Open worksheets window maximized** if checked, worksheets window will automatically scale to fit main application window.
- Expand full IPCC 2006 category structure by default if checked, tree containing 2006 IPCC hierarchy will be expanded automatically to show the whole hierarchy; otherwise only main sectors will be shown initially.
- Automatically navigate to last visited IPCC 2006 Category if checked, last visited IPCC category will be automatically selected upon opening the Worksheet window.
- **Maximum numbers of decimal places** defines maximum numbers of decimal places for numbers to be displayed in calculation sheets (worksheet grids).
- Zero padding if checked all decimal numbers in grids will be zero-aligned.
 E.g. 0.1 will become 0.10000 padded with zeros up to the maximum number of decimal places 5 in this case.

Reports

Application preferences	x
Application preferences	
General Database Worksheets Reports Inventory Year Grid	
Decimal places Default number of decimal places: 3	
V Zero padding	
✓ Open report windows maximized	
OK Cancel Apply	

Figure 3.5 – Reports preferences

- **Default number of decimal places** numbers in reports will be automatically rounded according to defined number of decimal places here.
- Zero padding if checked all decimal numbers in grids will be zero-aligned. E.g. 0.1 will become 0.100 - padded with zeros up to the maximum number of decimal places – 3 in this case
- **Open report windows maximized** if checked, reporting windows will automatically scale to fit main application window.

Inventory Year

4	Application preferences	×
	Application preferences	
	General Database Worksheets Reports Inventory Year Grid	
	Start inventory year 1990	
ł	End inventory year 2011	
	Base year for assessment of uncertainty in trend	
	OK Cancel Ac	ply

Figure 3.6 – Inventory Year preferences

- Start inventory year defines starting inventory year. Default is 1990.
- End inventory year defines ending inventory year. Default is current year.
- Base Year for assessment of uncertainty in trend defines base year used in Uncertainty Analysis. Default is 1990.

Grid

Application preferences				×
	Application p	references		
General Database	Worksheets Reports Inventory Year	Grid		
Look preset	Office2003 - Blue Theme			▼
Text color	White 💌	Font	Arial, 8.5pt	
Back color 1	89; 135; 214 💌	Back color 2	7; 59; 150	-
Gradient style	Vertical 💌			
Selected row				
Text color	Black 💌			
Back color 1	LightCyan 💌	Back color 2	LightSkyBlue	-
Gradient style	Vertical 👻			
Computed cells				
Text color	Black 💌			
Back color 1	LightGreen 💌	Back color 2	Control	-
Gradient style	None			
Use thousands se	eparator			
		0	K Cancel	Apply

Figure 3.7 – Grid

- Look preset provides the user with the set of standard predefined look presets to choose from
- Header defines the look of the grid header
- Selected row defines the look of the selected grid row
- Computed cells defines the look of grid cells that are computed (calculated)
- Use thousands separator if checked, thousand separator will be used to separate thousands in all numbers in grids. Thousands separator follows the operating system's Control Panel / Regional Settings.

3.2.1.2 Language

This allows the user to switch between different languages. Default language is English. Supplementary software called **Translation Editor** (which is included in setup) can be used to define other languages and translate texts.

3.2.1.3 Exit

Exits the software.

3.2.2 Database menu

3.2.2.1 Open/Close Database

If database is open, use this menu item to close the current database. Current logged- in user will be logged out automatically. All database related functions and modules of the software will become disabled.

If database is closed use this menu item to browse for and open new database. All database related functions will become available again after valid user logs in.

Automatic database upgrade

Starting from version 2.10 software supports automatic conversion of databases coming from the previous versions of the software (versions 2.00 and later are supported). This means users can comfortably use their existing databases from previous versions without putting any extra effort to transfer existing data. When database from older version of the software is open in new version of the software user will be prompted to start automatic database conversion. After database is successfully converted it will become fully compatible with the new version of the software.

3.2.2.2 Save as

This menu item allows the user to save database under a different file name to a different location. It is possible to compress (ZIP) saved database file to save space. This opens the possibility to maintain several independent versions of the database. Database is password protected, however it is possible to remove password protection during saving. Database with password protection removed cannot be opened by the software.

3.2.2.3 Properties

This menu item can be used to display dialog window containing properties of the currently open database.

Database properties			×
	Database	properties	
Database file	C:\ProgramData\IPCC20	06Software\ipcc2006.mdb	
Database version	2.00		
Database size	14585856 bytes	Compact and repair	
Date created	7. 5. 2012 10:29:06		
Date modified	7. 5. 2012 14:32:38		
Last backup	7. 5. 2012		
CO2 Equivalents	SAR GWPs (100 year tim	e horizon)	
Inventory Years		Users	
1990		Compiler1 Compiler2 gregus	
			<u>C</u> lose

Figure 3.8 – Database properties

Following information is available:

- Database file full path to currently open database file (ACCDB)
- Database version version of the database file
- Database size size of the database file in bytes
- Date created the date when the database was created
- Date modified the date of the last modification of data in the database
- Last backup the date of the last database backup
- CO2 Equivalents currently selected GWP type. GWP types can be managed using the Administrate / CO2 Equivalents menu.
- Inventory Years the list of inventory years in the currently open database
- Users the list of defined users in the currently open database

Button **Compact & Repair** can be used to compact (to reduce size on disk) or repair the database file (in case it is corrupted).

3.2.2.4 Logout

This menu item logs out currently logged in user.

3.2.3 Inventory Year menu

This menu allows the user to choose current inventory year as well as to create new inventory year.

3.2.3.1 Choosing Inventory Year

Click *Choose...* menu item to display the following dialog box.

IPCC 2006	
Inventor	y Year
Choose the inventory year f below and p	
(1990	•
ок	Create new

Figure 3.9 – Choose Inventory Year

After choosing the desired Inventory Year and pressing the OK button, all related software modules will update their current information and data corresponding to new Inventory Year.

3.2.3.2 Creating new Inventory Year

Click Create new... menu item to display the following dialog box.

New inventory	
Create new Inve	ntory Year
New Inventory Year 1997	
 Create empty inventory year Copy data from inventory year 	
Create	Cancel

Figure 3.10 – Create new Inventory Year

Take the following steps to create new Inventory Year:

- Choose available Inventory Year from the New Inventory Year list. The list does not contain years that were already created and interval is from Start inventory year to End inventory year as defined in Application / Preferences / Inventory year tab.
- 2) Decide whether to create empty inventory year or copy of existing inventory year using the appropriate radio button.
- 3) In case of copy, choose the source inventory year from the corresponding list of available inventory years.
- 4) Click **Create** button to create new inventory year. After creating new year it will be automatically set as current Inventory Year.

3.2.3.3 Efficient data entry using Inventory Year menu

The efficient and optimal way to enter data is:

- 1) Complete inventory for one basic year at first
- 2) Create additional years by copying data (see 3.2.3.2) from existing year containing completed inventory which created in Step 1
- 3) Use time series data entry to make adjustments to data across years

3.2.4 Worksheets menu

This menu item opens the Worksheets window containing worksheets as defined in 2006 IPCC Guidelines¹. See Chapter 3.3 for detailed information.

3.2.5 Reports menu

This menu item allows the user to calculate 2006 IPCC Guidelines Reporting Tables. The reporting tables include the possibility to select number of decimal places of the emissions reported, the possibility to write and save text into documentation box of the report as well as function to export tables to Excel.

3.2.5.1 Summary table

This report displays all Greenhouse Gas emissions divided into 2006 IPCC Guidelines Categories (up to level 3). The values are calculated from sectoral tables.

•		issions (Gg)	¢			nissions uivalents (Gg)	÷		Emiss (G			÷
Categories	Net CO2 (1)(2)	CH4		HFCs	PFCs	SF6	Other halogenated gases with CO2 equivalent conversion factors (3)	Other halogenated gases without CO2 equivalent conversion factors (4)			NMVOCs	SO2
Total National Emissions and Removals	69927.972	1164.117	2.618	76124.414	204420.180	1034650.380	0.000	0.007	0.034	0.991	0.000	0.000
1 - Energy	54909.952	1507.496	58.274	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A - Fuel Combustion Activities	53217.218	12.049	2.214	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A.1 - Energy Industries	32955.271	0.479	0.481						0.000	0.000	0.000	0.000
1.A.2 - Manufacturing Industries and Construction	3516.442	1.203	0.160						0.000	0.000	0.000	0.000
1.A.3 - Transport	16745.506	10.367	1.573						0.000	0.000	0.000	0.000
1 A 4 - Other Sectors	0.000	0 000	0.000						0 000	0.000	0.000	0.000

Figure 3.11 – Example of Summary Table

3.2.5.2 Short Summary table

This reporting table displays all Greenhouse Gas emissions divided into 2006 IPCC Guidelines Sub-sectors (up to level 2). The values are aggregated from Summary table.

		issions (Gg)	þ			nissions uivalents (Gg)	÷		Emiss (G			÷
Categories	Net CO2 (1)(2)			HFCs	PFCs	SF6	Other halogenated gases with CO2 equivalent conversion factors (3)	Other halogenated gases without CO2 equivalent conversion factors (4)	NOx		NMVOCs	SO2
Total National Emissions and Removals	69927.972	1164.117	2.618	76124.414	204420.180	1034650.380	0.000	0.007	0.034	0.991	0.000	0.000
1 - Energy	54909.952	1507.496	58.274	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A - Fuel Combustion Activities	53217.218	12.049	2.214						0.000	0.000	0.000	0.000
1.B - Fugitive emissions from fuels	1012.734	1495.447	56.060						0.000	0.000	0.000	0.000
1.C - Carbon dioxide Transport and Storage	680.000								0.000	0.000	0.000	0.000
2 - Industrial Processes and Product Use	2329.659	0.536	1390.625	76124.414	204420.180	1034650.380	0.000	0.007	0.000	0.000	0.000	0.000
2.A - Mineral Industry	7.809								0.000	0.000	0.000	0.000
2 P. Chamical Industry	E0 01C	0 001	0.740	AG 10A	0.000	0.000		0.007	0.000	0.000	0.000	0.000

Figure 3.12 – Example of Short summary table

3.2.5.3 Sectoral tables

This set of reporting tables is available for each sector and displays Greenhouse Gas emissions divided into detailed 2006 IPCC Guidelines categorization (up to the most disaggregated level). The values are taken from the Background tables. Energy sectoral table contains additional functionality regarding **Precursors (NOx, CO, NMVOCs, SO2)**. These can be manually edited here.

-			Emiss (G				÷
Categories	CO2	CH4	N2O	NOx	со	NMVOCs	SO2
> 1 - Energy	54909.952	1507.496	58.274	0.000	0.000	0.000	0.000
1.A - Fuel Combustion Activities	53217.218	12.049	2.214	0.000	0.000	0.000	0.000
1.A.1 - Energy Industries	32955.271	0.479	0.481	0.000	0.000	0.000	0.000
1.A.1.a - Main Activity Electricity and Heat Production	30202.577	0.360	0.457	0.000	0.000	0.000	0.000
1.A.1.a.i - Electricity Generation	27273.761	0.329	0.410	0.000	0.000	0.000	0.000
1.A.1.a.ii - Combined Heat and Power Generation (CHP)	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A.1.a.iii - Heat Plants	2928.816	0.031	0.046	0.000	0.000	0.000	0.000
1.A.1.b - Petroleum Refining	2752.694	0.119	0.024	0.000	0.000	0.000	0.000
1.A.1.c - Manufacture of Solid Fuels and Other Energy Industries	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A.1.c.i - Manufacture of Solid Fuels	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Figure 3.13 – Example of Energy Sectoral Table

¹ 2006 IPCC Guidelines for the National Greenhouse Gas Inventories

3.2.5.4 Background tables

This set of reporting tables displays activity rates, fuel types (if applicable) and Greenhouse Gas emissions divided into detailed 2006 IPCC Guidelines categorization (up to the most disaggregated level). The values are taken from the Worksheets. There is a special **Reporting Table 1.4b** for category **1.C CO₂ transport and storage** which is editable.

Table 1.1 Energy Background Table: 1.A.1 - 1.A.2 Table 1.2 Energy Ba	ckground Tabl	e: 1.A.3 - 1.A.5	Tab	le 1.3 Energy Backgr	ound Ta	ble: 1.B T	able 1.4b Ene	ergy Bac	kground	Table: 1.C -	Overviev	v Tał	ole 1.5 E	inergy Ba
IPCC 2006 Categories 🛛 🕂			Activ	vity (TJ)		÷		sions I (Gg)	4-		sions d (Gg)	÷		nissions as (Gg)
	Solid	Liquid	Gas	Other Fossil Fuels	Peat	Biomass	CO2	CH4	N20	CO2	CH4	N2O	CO2	CH4
1.A - Fuel Combustion Activities	327586.000	310685.000	0.000	40100.000	0.000	94950.000	28573.002	0.295	0.444	21127.775	10.552	1.610	0.000	0.000
1.A.1 - Energy Industries	299386.000	61550.000	0.000	0.000	0.000	94950.000	28573.002	0.295	0.444	4382.269	0.185	0.037	0.000	0.000
1.A.1.a - Main Activity Electricity and Heat Production	299386.000	21850.000	0.000	0.000	0.000	94950.000	28573.002	0.295	0.444	1629.575	0.066	0.013	0.000	0.000
1.A.1.a.i - Electricity Generation	268426.000	21850.000	0.000	0.000	0.000	0.000	25644.186	0.264	0.397	1629.575	0.066	0.013	0.000	0.000
1.A.1.a.ii - Combined Heat and Power Generation (CHP)	0.000	0.000	0.000	0.000	0.000	94950.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1.A.1.a.iii - Heat Plants	30960.000	0.000	0.000	0.000	0.000	0.000	2928.816	0.031	0.046	0.000	0.000	0.000	0.000	0.000
1.A.1.b - Petroleum Refining	0.000	39700.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	2752.694	0.119	0.024	0.000	0.000

Figure 3.14 – Example of Energy Background Table 1.1

3.2.5.5 Reporting Table 7a – Uncertainties

This Reporting Table is an aggregated version of Uncertainty Analysis Table 3.2. The list of aggregated categories is based on Table 4.1 of Volume 1, Chapter 4 of *2006 IPCC Guidelines*. Uncertainties from disaggregated levels are combined by multiplication according to Equation 3.1 of Volume 1, Chapter 3 of *2006 IPCC Guidelines*.

Reporting Table 7a - Uncertainties								
Base Year 1990 • Year T 1994 •								
IPCC 2006 Categories		Base Year emissions or removals -⊐ (Gg CO2 equivalent)	Year Temissions or removals (Gg CO2 equivalent)	Activity Data Uncertainty += (%)	Emission Factor Uncertainty +9 (%)	Combined Uncertainty +⊐ (%)	Contribution to Variance by Category in Year T	Inventory trend in national emissions for year tincrease with respect to base year (% of base year)
> 1 - Energy								
1.A.1 - Energy Industries - Liquid Fuels	CO2	4382.269	3387.944	7.071	8.678	11.194	0.000	77.310
	CH4	3.878	3.021	7.071	323.555	323.632	0.000	77.904
	N2O	11.448	8.919	7.071	323.555	323.632	0.000	77.904
1.A.1 - Energy Industries - Solid Fuels	CH4	6.192	6.468	7.071	200.062	200.187	0.000	104.468
	N2O	137.541	157.296	7.071	222.278	222.391	0.000	114.363
1.A.1 - Energy Industries - Biomass	CH4	197.889	0.000	5.000	5.000	7.071	0.000	0.000
	N2O	80.743	0.000	5.000	5.000	7.071	0.000	0.000
1.A.1 - Enerav Industries - Solid Fuels	CO2	2928.816	0.000	5.000	5.000	7.071	0.000	0.000

Figure 3.15 – Example of Reporting Table 7a - Uncertainties

3.2.6 Tools

3.2.6.1 Uncertainty Analysis

This menu item allows creating uncertainty Reporting Table 3.2 as defined in the *2006 IPCC Guidelines*. The values are entered in each Worksheet. User should enter uncertainty values for every activity and Emission Factor. Default uncertainty values are applied when the user does not enter any uncertainty values.

There is no limit and no check for uncertainty range, i.e. it is the responsibility of the user to define the appropriate values. Default uncertainty values presented in the *2006 IPCC Guidelines* for almost all the default EFs and AD are preloaded as default upper and lower limits.

The procedure of calculation uncertainty in Table 3.2 is explained on page 3.29 of Chapter 3 in Volume 1 of the 2006 IPCC Guidelines. More information on how to enter Uncertainties within each type of worksheet can be found in Chapter 3.3 of this document.

To perform Uncertainty Analysis, click the Refresh Data button.

E .+ F .+ G .+ tty Data trainity 5,000 Enission Factor Uncertainty (%) 5,000 6.136 7.915 5,000 228.788 228.843 2,000 228.788
tty Data ertainty (%) 5.000 5.000 5.000 228.788 228.843
rfainty Uncertainty (%) 5.000 6.136 7.915 5.000 228.788 228.843
5.000 228.788 228.843
5.000 228.788 228.843
5 000 000 700 000 000 000 000
5.000 228.788 228.84
5.000 12.412 13.38
5.000 200.000 200.06
5.000 222.222 222.27
5.000 200.000

Figure 3.16 – Example of Ucertainty Analysis table

3.2.6.2 Reference Approach

The Reference Approach is a top-down approach, using a country's energy supply data to calculate the emissions of CO_2 from combustion of mainly fossil fuels. The Reference Approach is a straightforward method that can be applied on the basis of relatively easily available energy supply statistics.




Figure 3.17 – Example of Reference Approcah table

3.2.6.3 Key Category Analysis

It is *good practice* for each country to identify its national *key categories* in a systematic and objective manner, by performing a quantitative analysis of the relationships between the level and the trend of each category's emissions and removals and total national emissions and removals. Two Approaches for performing the key category analysis have been developed. Both Approaches identify *key categories* in terms of their contribution to the absolute level of national emissions and removals and to the trend of emissions and removals. The methods are described in Chapter 4.3, Volume 1 of *2006 IPCC Guidelines*. To perform Key Category Analysis, click the **Refresh Data** button.

proach 1: Level Asses	sment Approach 1: Trend Assessment					
А	В	С	D	E	F	G
IPCC Category code	IPCC Category	Greenhouse gas	1994 Ex,t (Gg CO2 Eq)	Ex,t (Gg CO2 Eq)	Lx,t	Cumulative Total of Column F
2.G	Other Product Manufacture and Use	SF6, PFCs	753201.6125	753201.6125	0.7526	0.7526
2.F.6	Other Applications (please specify)	HFCs, PFCs	70736	70736	0.07068	0.82328
1.A.1	Energy Industries - Solid Fuels	CARBON DIOXID_	29743.85	29743.85	0.02972	0.853
2.F.5	Solvents	HFCs, PFCs	27420	27420	0.0274	0.8804
1.B.2.a	Oil	NITROUS OXIDE_	26988.6	26988.6	0.02697	0.90737
3.D.1	Harvested Wood Products	CARBON DIOXID_	-22505.91952	22505.91952	0.02249	0.92986
2.E	Electronics Industry	SF6, PFCs, HFCs_	20600.3124	20600.3124	0.02058	0.95044
1.A.3.b	Road Transportation	CARBON DIOXID	13448.0555	13448.0555	0.01344	0.96388
4.C	Incineration and Open Burning of Waste	CARBON DIOXID	7704.54027	7704.54027	0.0077	0.97158
4.A	Solid Waste Disposal	METHANE (CH4)	3705.3582	3705.3582	0.0037	0.97528
1.A.2	Manufacturing Industries and Construction	CARBON DIOXID	3516.442	3516.442	0.00351	0.97879
1.A.1	Energy Industries - Liquid Fuels	CARBON DIOXID	3387.944	3387.944	0.00339	0.98218
2.G	Other Product Manufacture and Use	NITROUS OXIDE (3349.9096	3349.9096	0.00335	0.98552
2.D	Non-Energy Products from Fuels and Solv	CARBON DIOXID	3342.603	3342.603	0.00334	0.98886

Figure 3.18 – Key Category Analysis

3.2.7 Export/Import

3.2.7.1 Export Worksheet Data

This menu item opens dialog box that allows selecting and exporting part of the current inventory year, i.e. one or more sectors, sub-sectors or categories into an XML file.

IPCC 2006 Export - Worksheet Data		×
IPCC 2006 Export - Worksheet Data		
IPCC 2006 Categories to export		
2 - Industrial Processes and Product Use		
🖻 🐨 🔽 2.A - Mineral Industry		
2.A.1 - Cement production		=
2.A.2 - Lime production		
2.A.3 - Glass Production		
2.A.4 - Other Process Uses of Carbonates		
2.A.4.a - Ceramics		
2.A.4.b - Other Uses of Soda Ash		
2.A.4.c - Non Metallurgical Magnesia Production		
2.A.4.d - Other (please specify)		
2.A.5 - Other (please specify)		
🖃 🔽 2.B - Chemical Industry		
2.B.1 - Ammonia Production		
2.B.2 - Nitric Acid Production		
2.B.3 - Adipic Acid Production		
2.B.4 - Caprolactam, Glyoxal and Glyoxylic Acid Production		
2.B.5 - Carbide Production		
···· 📝 2.B.6 - Titanium Dioxide Production		
2.B.8 - Petrochemical and Carbon Black Production		
2.B.8.a - Methanol		
····· 🔽 2.B.8.b - Ethylene		
2.B.8.c - Ethylene Dichloride and Vinyl Chloride Monomer		
2.B.8.d - Ethylene Oxide		
2.B.8.e - Acrylonitrile		
2.B.8.f - Carbon Black		
2.B.9 - Fluorochemical Production		
2.B.9.a - By-product emissions		
2.B.9.b - Fugitive Emissions		
2.C - Metal Industry		-
i i i i i z.c. i - iron anu Steer Froudction		
	Export	Close

Figure 3.19 – Exporting worksheet data

Take the following steps to export part of an inventory year:

- 1) Select one or more category of interest. Categories containing worksheets (data) are marked blue.
- 2) Click the **Export** button and supply the destination XML file when asked.

3.2.7.2 Export CO₂ Equivalents

This menu item opens dialog box that allows exporting of custom (not fixed) CO_2 Equivalents into an XML file. The structure of hierarchy is: *Custom CO₂ Equivalent Type / Gas groups / Gases*.

IPCC 2006 Export - CO2 Equival	ate
IPCC 2000 Export - CO2 Equival	11.5
Custom GivP Types Custom Gases CO2, CH4 & N2O CARBON DIOXIDE (CO2) WETHANE (CH4) NITROUS OXIDE (N2O) CO2, CH4 & N2O WETHANE (CH4) NITROUS OXIDE (N2O) CO2, CH4 & N2O WETHANE (CH4) WETHANE (C	
	Export Glose

*Figure 3.20 – Exporing custom CO*₂ *Equivalents*

Take the following steps to export custom CO_2 Equivalents:

- 1) Select the desired Custom GWP type of interest or just the particular Gases within gas groups.
- 2) Click the **Export** button and supply the destination XML file when asked.

3.2.7.3 Export NAI Reporting Tables

This menu item opens the window that allows calculating and exporting of the national communication table for Parties not included in Annex I to the Convention. Annex 1 to this user manual contains the details on mapping of the emission estimations based on 2006 IPCC Guidelines to the NAI reporting tables in the software.

Greenhouse gas source and sink categories +	CO2 Emissions , (Gg)	CO2 Removals (Gg)	CH4 + (Gg)	N2O +⊐ (Gg)	CO 🚽 Gg	NOx + (Gg)	NMVOCs 👍 (Gg)	SOx -⊨ (Gg)
Total National Emissions and Removals	69927.972		1164.117	2.618	0.991	0.034	0.000	0.000
1 - Energy	54909.952		1507.496	58.274	0.000	0.000	0.000	0.000
1A - Fuel Combustion Activities	53217.218		12.049	2.214	0.000	0.000	0.000	0.000
1A1 - Energy Industries	32955.271		0.479	0.481	0.000	0.000	0.000	0.000
1A2 - Manufacturing Industries and Construction (ISIC)	3516.442		1.203	0.160	0.000	0.000	0.000	0.000
1A3 - Transport	16745.506		10.367	1.573	0.000	0.000	0.000	0.000
1A4 - Other Sectors	0.000		0.000	0.000	0.000	0.000	0.000	0.000
1A5 - Other	0.000		0.000	0 000	0.000	0 000	0.000	0 000

Figure 3.21 – Example of NAI Reporting Table

3.2.7.4 Import Worksheet Data

This menu item opens the dialog window that allows importing an XML file containing a part of an inventory, i.e. one or more sectors, sub-sectors or categories into the currently open database and currently chosen Inventory Year.

IPCC 2006 Import - Workshe	et Data	×
	IPCC 2006 Import - Worksheet Data	
XML import file	C:\Tmp\all.xml	Open
XML import version	1.90	
Source inventory year	1990	
Number of records	352	
IPCC 2006 Categories to im	port	
 I.B.1.a.i.3 - Abando I.B.1.a.i.4 - Flaring I.B.1.a.ii.1 - Mining 	ning seam gas emissions ned underground mines of drained methane or conversion of methane to CO2 ining seam gas emissions ransformation ase specify)	E
	tion ction s of Soda Ash urgical Magnesia Production sse specify)	
	View XML file Import	Close

Figure 3.22 – Importing Worksheet Data

Take the following steps to import worksheet data:

- 1) Click the **Open** button to browse for XML file to be imported.
- 2) Check the details such as XML Import Version, Source inventory year, Number of records and decide whether this import file suits your needs.
- 3) Section **Categories to import** contains the list of all categories included in the source XML file. Select the categories of interest to be imported. All categories are selected by default.
- 4) Click the **Import** button to begin import. Progress bar will be shown to indicate the progress of import.

TIP: Button Vie XML file can be used to display the contents of the source XML file in Internet browser.

3.2.7.5 Import CO₂ Equivalents

This menu item opens the dialog window that allows importing of custom CO₂ Equivalents from an XML file.

IPCC 2006 Import - CO2 Eq	uivaients			
	IPCC 2006 Import	- CO2 Equivale	nts	
XML import file	C:\Tmp\gwp.xml			Open
XML import version	1.90			
GWP types to import				
Custom GWP Typ	es			
⊡ ⊽ Custom				
⊟- V CO2, C	CH4 & N2O			
	RBON DIOXIDE (CO2)			
	THANE (CH4)			
	FROUS OXIDE (N2O)			
I HFCs				
V PFCs	rfluorocyclopropane (c-C3F6)			
	C-14 (CF4)			
	C-116 (C2F6)			
	C-218 (C3F8)			
	C-3-1-10 (C4F10)			
	C-318 (c-C4F8) C-4-1-12 (C5F12)			
	C-5-1-14 (C6F14)			
- ▼ SF6	00111(00111)			
	phur Hexafluoride (SF6)			
🖃 📝 NF3				
···· 🔽 Nit	rogen Trifluoride (NF3)			
	Vi	ew XML file	Import	Close

Figure 3.23 – Importing custom CO₂ Equivalents

Take the following steps to import custom CO₂ Equivalents:

- 1) Click the **Open** button to browse for XML file to be imported.
- 2) Section **GWP Types to import** contains the list of all custom GWP types included in the source XML file. Select the custom GWP type of interest or just particular gases of interest to be imported.
- 3) Click the **Import** button to begin import. Progress bar will be shown to indicate the progress of import.

TIP: Button Vie XML file can be used to display the contents of the source XML file in Internet browser.

3.2.8 Administrate

Functions in this menu section are available to administrators (Superusers) only.

3.2.8.1 Users

This menu item opens dialog window that allows managing login names, passwords and rights to work with particular worksheets. See <u>Chapter 2.4</u> for detailed information.

3.2.8.2 CO₂ Equivalents

This menu item opens the dialog window that allows the administrator to manage CO₂ Equivalents. Except for predefined SAR, TAR and AR4 Equivalents, it is possible to define custom types. Default type of CO₂ Equivalents currently selected is indicated in the status bar and also in *Database Properties* dialog box. See <u>Chapter 2.3</u> for detailed information.

3.2.8.3 Delete inventory

This menu item opens the dialog window that allows deleting existing inventories. **USE THIS FUNCTION WITH CAUTION!**

IPCC 2006	
Delete Inventory Year	
Choose the inventory year from the drop-down box below and press OK]
1990 -	
130 tables were cleared worksheet_remark_ext - 0 rows deleted worksheet_remark_oxt - 73 rows deleted worksheet_ref_approach_audilary - 15 rows deleted worksheet_ref_approach_audilary - 15 rows deleted worksheet_dD2_3 - 5 rows deleted worksheet_4D2_1 - 5 rows deleted worksheet_4D2_1 - 5 rows deleted worksheet_4D1_tow - 2 rows deleted worksheet_4D1_fil-1 rows deleted worksheet_4D1_effl - 1 rows deleted worksheet_4D1 - 12 rows deleted worksheet_4D1 - 12 rows deleted worksheet_4C2_3 - 3 rows deleted worksheet_4D1 - 12 rows deleted worksheet_4C2_3 rows deleted worksheet_4C2_5 rows deleted worksheet_4C1_2 - 5 rows deleted	
Delete Cancel	

Figure 3.24 – Deleting inventory

3.2.8.4 AFOLU Land Type Manager

This menu item opens a dialog window which allows managing Land Use Subcategories under AFOLU category 3.B – Land. This window is also accessible from relevant worksheets. Parameters defined here are used in all relevant worksheets.

		AFOLU Land Types			×
Land use subcategories 📃 💂	Common Land Type Data				
Forest Land Forest drained	Land use subcategory	Natural forest	Country/Territory	Slovakia	
Natural forest	Soil Type	High Activity Clay Mineral 🗸	Continent	Europe	
Organic plantation Plantation 1	Soil Status	Natural 🗸	Climate Region	Cool Temperate Moist	
Plantation 2 Plantation 3			Geographical placement	Unspecified	
Unmanaged	Forest Land Data				
ter Cropland ter Grassland	Ecosystem type	Temperate mountain systems 🗸	Continent type	Unspecified	~
	Species	Pinus 🗸	Age class (yr)	≤20 y	~
⊕ Other Land	Natural Forest	•	Growing stock level (m3/ha)		-
			aloning acouctors (morna)	2110	·
	Fiantation		veground forest biomass (tonne C/tonne d.m.)	0.500	~
		Ratio of below-ground biomass to above	-ground biomass (R) (t root d.m./t shoot d.m.)	0.000	~
	Biomass conve	rsion and expansion factor for wood and fue	elwood removal (BCEFr) (t / m3 wood volume)	0.000	~
			Above-ground biomass in forests (t d.m. / ha)	0.000	~
		Above-ground biomass grov	wth in plantation/natural forests (t d.m. /ha/yr)	0.000	~
		Referen	nce soil organic carbon (SOC) stock (t C / ha)	95.000	~
		L	itter carbon stocks of mature forests (t C / ha)	0.000	~
			Abandoned managed land		
			Relative stock change factor		
			Land use (FLU)		
			Management (FMG)	1.000	
			Input (FI)	1.000	
Add Copy Delete			c	ave Undo Cic	
Add Copy Delete			5		Jse

Figure 3.25 – Land Type Manager

Land Type Manager window consists of the following sections:

- **Navigation section** contains the list of Land Use Subcategories divided into corresponding main Land Type categories (Forest, Cropland, ...). Activation of the particular Land Use Subcategory shows relevant details.
- **Common Land Type Data** contains data that is common for all Land Types (Country, Climate Region, ...)

• **Particular Land Use Subcategory data** – contains details of the particular Land Use Subcategory that is selected in the navigation section.

Adding new Land Use Subcategory

Take the following steps to define new Land Use Subcategory:

- 1) Select one of the main Land Use Categories in the Navigation section.
- 2) Click the **Add** button located at the bottom of the navigation section. New Land Use Subcategory will be created with the default name.
- 3) Enter desired details of the new Land Use Subcategory
- 4) Click the **Save** button to save new Land Use Subcategory into database

Editing existing Land Use Subcategory

Take the following steps to edit existing Land Use Subcategory:

- 1) Select the Land Use Subcategory of interest in the navigation section
- 2) Edit data as desired
- 3) Click the **Save** button to save changes into database or click the **Undo** button to discard all changes.

Making copy of existing Land Use Subcategory

It is possible to make a copy of existing Land Use Subcategory. Follow the next steps:

- 1) Select the Land Use Subcategory of interest in the navigation section
- 2) Click the **Copy** button located at the bottom of the navigation section.
- 3) New copy of selected Land Use Subcategory will be created with the new name
- 4) Edit data as desired
- 5) Click the **Save** button to save new Land Use Subcategory into database.

Deleting existing Land Use Subcategory

- 1) Select the Land Use Subcategory of interest in the navigation section
- 2) Click the **Delete** button located at the bottom of the navigation section
- 3) Confirm or cancel deletion when prompted

3.2.8.5 AFOLU Land Representation Manager

This menu item opens a dialog window which allows managing Land Representation for AFOLU categories under 3.B – Land. This window is also accessible from relevant worksheets. Parameters defined here are used in all relevant worksheets.




Figure 3.26 – Land Representation Manager

3.2.8.6 AFOLU Livestock Manager

This menu item opens a dialog window which allows managing Livestock for AFOLU category 3.A – Livestock. This window is also accessible from relevant worksheets under category 3.A – Livestock. Livestock manager is divided into several tabs. Parameters defined here are used in all relevant worksheets.

Geographical zones

	Livestock Manager		×
Geographical zones Livestock Ma	nure Management System		
		Save Undo Close	
Geographical zone	Average annual temperature [°C]	Remark	
Sub-equitorial	≥ 28	3	X
*			
Geographical zones are user-defined. Er	ntire country may be reported under a	single Geographical zone.	

Figure 3.27 – Geographical zones

This tab allows defining geographical zones and thus dividing country into smaller parts which differ by average temperature.

• Adding new Geographical zone

- 1) Use last (add template) row to define new Geographical zone. Enter zone name, average temperature and optionally remark. Repeat to add more zones.
- 2) Click the **Save** button to save new zones into database

• Editing existing Geographical zone

- 1) Click on the existing Geographical zone
- 2) Edit name, average temperature, remark. Repeat for other existing zones as necessary.
- 3) Click the **Save** button to save changes into database; or click the **Undo** button to discard all changes.

• Deleting existing Geographical zone

- 1) Click on the existing Geographical zone
- 2) Click the iconic delete button located in the last cell of active row. Repeat for other zones if necessary.
- 3) Click the **Save** button to commit delete operation into database or click **Undo** to undelete all zones marked for deletion.

Livestock




Figure 3.28 – Livestock Subcategories

This tab allows defining custom livestock subcategories and subdivisions under each 2006 IPCC Guidelines main Livestock categories or under additional user-defined "Other" Livestock categories.

- Adding new user-defined "Other" Livestock Category
 - 1) Use last (add template) row of top-level band to define new Livestock Category. Enter Livestock Category name. Repeat to add more categories.
 - 2) Click the Save button to save new categories into database
- Editing existing user-defined "Other" Livestock Category
 - 1) Click on the existing Livestock Category of interest.
 - 2) Edit name. Repeat for other Livestock Categories as desired.
 - 3) Click the **Save** button to save changes into database; or click the **Undo** button to discard all changes.
- Deleting existing user-defined "Other" Livestock Category
 - 1) Click on the existing Livestock Category of interest.
 - 2) Click the iconic delete button located in the last cell of active row. Repeat for other categories if necessary.
 - 3) Click the **Save** button to commit delete operation into database or click **Undo** to undelete all categories marked for deletion.
- Adding new Livestock Subcategory
 - 1) Expand the desired main Livestock Category (or user-defined "Other" category)
 - 2) Use last (add template) row to add new Livestock Subcategory. Enter Livestock Subcategory name. Repeat for other main categories as desired.
 - 3) Click the Save button to save new defined Livestock Subcategories into database

• Editing existing Livestock Subcategory

- 4) Click on the existing Livestock Subcategory under main Livestock Category (or user-defined "Other" category) of interest.
- 5) Edit name. Repeat for other Livestock Subcategories as desired.
- 6) Click the **Save** button to save changes into database; or click the **Undo** button to discard all changes.
- Deleting existing Livestock Subcategory
 - 1) Click on the existing Livestock Subcategory under main Category (or user-defined "Other" category) of interest.

- 2) Click the iconic delete button located in the last cell of active row. Repeat for other subcategories if necessary.
- 3) Click the **Save** button to commit delete operation into database or click **Undo** to undelete all subcategories marked for deletion.

• Adding new Livestock Subdivision

- 4) Expand the desired Livestock Subcategory
- 5) Use last (add template) row to add new Livestock Subdivision. Enter Livestock Subdivision name. Repeat for other subcategories as desired.
- 6) Click the Save button to save new defined Livestock Subdivisions into database

• Editing existing Livestock Subdivision

- 7) Click on the existing Livestock Subdivision under Livestock Subcategory of interest.
- 8) Edit name. Repeat for other Livestock Subdivisions as desired.
- 9) Click the **Save** button to save changes into database; or click the **Undo** button to discard all changes.
- Deleting existing Livestock Subdivision
 - 1) Click on the existing Livestock Subdivision under Subcategory of interest.
 - 2) Click the iconic delete button located in the last cell of active row. Repeat for other subdivisions if necessary.
 - 3) Click the **Save** button to commit delete operation into database or click **Undo** to undelete all subdivisions marked for deletion.

Manure Management System

ec	ogra	phical zones Livestock Man	ure Management System
			Save Undo Close
		System	Definition
	•	Pasture/Range/Paddock	The manure from pasture and range grazing animals is allowed to lie as deposited, and is not managed.
		Daily spread	Manure is routinely removed from a confinement facility and is applied to cropland or pasture within 24 hours of excretion.
	~	Solid storage	The storage of manure, typically for a period of several months, in unconfined piles or stacks. Manure is able to be stacked due to the presence of a sufficient amount of bedding material or loss of moisture by evaporation.
		Dry lot	A paved or unpaved open confinement area without any significant vegetative cover where accumulating manure may be removed periodically.
	~	Liquid/Slurry	Manure is stored as excreted or with some minimal addition of water in either tanks or earthen ponds outside the animal housing, usually for periods less than one year.
		Uncovered anaerobic lagoon	A type of liquid storage system designed and operated to combine waste stabilization and storage. Lagoon supernatant is usually used to remove manure from the associated confinement facilities to the lagoon. Anaerobic lagoons are designed with varying lengths of storage (up to a year or greater), depending on the climate region, the volatile solids loading rate, and other operational factors. The water from the lagoon may be recycled as flush water or used to irrigate and fertilise fields.
		Pit storage below animal confinements	Collection and storage of manure usually with little or no added water typically below a slatted floor in an enclosed animal confinement facility, usually for periods less than one year.
		Anaerobic digester	Animal excreta with or without straw are collected and anaerobically digested in a large containment vessel or covered lagoon. Digesters are designed and operated for waste stabilization by the microbial reduction of complex organic compounds to CO2 and CH4, which is captured and flared or used as a fuel.
		Burned for fuel	The dung and urine are excreted on fields. The sun dried dung cakes are burned for fuel.
		Cattle and Swine deep bedding	As manure accumulates, bedding is continually added to absorb moisture over a production cycle and possibly for as long as 6 to 12 months. This manure

Figure 3.29 – Manure Management Systems

This tab allows choosing manure management systems to be used in computation of N₂O emissions from Manure Management Systems. The list contains the predefined set of default Manure Management Systems as defined in the *2006 IPCC Guidelines* Additionally it allows the user to define user-defined Manure Management Systems.

• Choosing the Manure Management Systems

- 1) Use left column containing checkboxes to mark all desired Manure Management Systems that are relevant for your case and that will be used for computation of N₂O emissions from Manure Management Systems
- 2) Chosen Manure Management Systems are highlighted green for better visual feedback

- Adding new user-defined Manure Management System
 - 1) Use last (add template) row to add new user-defined Manure Management System. Enter System and optionally Definition. Repeat for other user-defined Manure Management Systems as desired.
 - 2) Click the **Save** button to save new defined user-defined Manure Management Systems into database
- Editing existing user-defined Manure Management System
 - 1) Click on the existing user-defined Manure Management System.
 - 2) Edit System and Definition as desired. Repeat for other user-defined Manure Management Systems as desired.
 - 3) Click the **Save** button to save changes into database; or click the **Undo** button to discard all changes.

Only user-defined Manure Management Systems can be modified

• Deleting existing user-defined Manure Management System

- 1) Click on the existing user-defined Manure Management System.
- 2) Click the iconic delete button located in the last cell of active row. Repeat for other user-defined Manure Management Systems if necessary.
- 3) Click the **Save** button to commit delete operation into database or click **Undo** to undelete all user-defined Manure Management Systems marked for deletion.

ivesto	ck Manure Management Syste	em Region
		Save Undo Close
	System	Definition
	Aerobic treatment	The biological oxidation of manure collected as a liquid with either forced or natural aeration. Natural aeration is limited to aerobic and facultative ponds and wetland systems and is due primarily to photosynthesis. Hence, these systems typically become anoxic during periods without sunlight.
	My Custom MMS 1	Custom MMS 1
	My Custom MMS 2	Custom MMS 2

Only user-defined Manure Management Systems can be deleted

3.2.8.7 Guidelines Information Texts

This menu item opens a special dialog where rich-text can be edited for each of the 2006 IPCC Guidelines Categories. Such texts will then be displayed for currently active 2006 IPCC Guidelines Category in the "IPCC 2006 Guidelines Window" within Worksheets window.




Figure 3.30 – Guidelines Information Texts

Editing text for particular Category

- 1) Use "IPCC 2006 Categories" navigation window to select desired IPCC 2006 Category. Text mapped to this category will be displayed in the large text area on the right
- 2) Click **Edit** button to open rich-text editor and edit text as necessary. Use formatting options (font, color, ...) of rich-text editor as desired




Figure 3.31 - Rich-text editor

3) Click **OK** to save changes or **Cancel** to discard all changes. In both cases the editor will close itself automatically.

Defined texts will be automatically displayed in the "IPCC 2006 Guidelines Window" for IPCC 2006 Category that is currently activated in the IPCC 2006 Categories navigation tree.

(ii) 2006 IPCC Software for National Greenhouse Gas Inventories - gregus - [Worksheets]




Figure 3.32 – Example of IPCC 2006 Guildelines Window content

3.2.9 Window

Use this menu to:

- Minimize all minimizes all windows to display main working area.
- Close all closes all open windows
- Windows list quickly activate the particular window by selecting it from the window list •

3.2.10 Help

User manual - this file

About - Important information about the Version of IPCC Inventory Software installed.




Figure 3.33 – About Box

4 Working with the Worksheets

4.1 Basic layout of the working area




Figure 4.1 - Basic layout of the screen

- Navigation window top left enabling browsing the IPCC 2006 Category structure
- Worksheet grid area \underline{top} right enabling editing the activity and emission factor data
- IPCC 2006 Guidelines area bottom left providing current information from the Guidelines
- Worksheet notes area below grid containing notes/guidance related to currently open worksheet
- User notes area bottom middle enabling to edit and save user remarks related to currently open worksheet
- Time Series chart area \underline{bottom} right displaying CO₂ equivalent time series for selected category

4.2 Working with windows and areas

Windows containing top bar with "pin" and "down-arrow" icons are dockable windows. It is possible to reorder such windows and completely change the layout of the screen to suit users' needs or preferences. In the next chapters, information on how to use dockable windows is provided.

4.2.1 Undocking windows

Dockable windows can be undocked. Undocked window is called "floating window". Floating window can be placed anywhere within the screen and it always stays on top of other forms within the application. There are several ways to make docked window floating:

- 1. Double-clicking the top bar of the dockable window
- 2. Holding the left mouse button down over top bar and moving it to the desired location
- 3. Clicking on down-arrow icon in the top bar displays the menu containing "Floating" menu item. Clicking this item undocks window. (Figure 4.2)




Figure 4.2 - Dockable window menu

HINT: Double-click on the top bar of floating window docks the window to the place where it was docked previously.

4.2.2 Docking floating windows

While dragging the floating window, docking indicators appear within each docking area guiding the user to choose where to dock the window. It is necessary to place mouse cursor over one of the arrows within docking indicator. The box then will be displayed to show the user where the window being dragged will be placed after releasing the mouse.




Figure 4.3 - Docking the floating window

4.2.3 Auto-hiding docking windows

Docking windows can be switched to auto-hide mode using the "pin" icon located in top bar. This is useful if there is a need for more space for main working area. Windows switched to auto-hide mode hide themselves when inactive.


HINT: Placing the mouse cursor over "strip" containing the name of the hidden window automatically scrolls window into view.

Clicking the "pin" icon of auto-hidden window switches the auto-hide mode off.

4.2.4 IPCC 2006 Categories Navigation Window (tree)

This window contains full 2006 IPCC Guidelines Category tree structure (Figure 4.4). The navigation tree is useful to select the worksheet to work with. Worksheets are available within IPCC categories marked blue. The worksheet relevant to selected IPCC Category will be displayed in the main working area on the right. If there are more worksheets available within selected IPCC Category, they are organized in the "tabbed" working area where each tab represents the particular worksheet.

Clicking on the "Sector/ Sub-sector" level of the tree which is marked with gray color, will show the CO_2 equivalent time series graph of the "Sector/ Sub-sector".



4.2.5 IPCC 2006 Guidelines window

This window contains the information relevant to currently selected IPCC 2006 Category. Such information can be defined using "*Guidelines* Information Texts" dialog accessible from Administrate menu (<u>Chapter 3.2.8.6</u>)




Figure 4.5 - IPCC 2006 Guidelines window

4.2.6 Worksheet notes window

This window contains additional information/guidance related to currently open worksheet.

```
      Worksheet notes
      #

      This worksheetreplicatesthe GamlenModel as shown at page 7.40 of Volume3 of the 2006 IPCC Guidelines, rather than equation 7.7.

      Cellswith red background contain interpolated values while cells with white background contain user-defined values.
```

Figure 4.6 – Worksheet notes

4.2.7 User notes window

This window can be used to enter additional textual information or reference for the selected worksheet within currently chosen inventory year.




Figure 4.7 – User notes

4.2.8 Time series window

This window contains the chart with emission time series across all inventory years for the particular gas expressed in Gg CO₂ Equivalents calculated according to CO₂ Equivalent type that is set as default.




Figure 4.8 – Time Series window

4.3 Working with the grid



Figure 4.9 - Worksheet grid

The worksheet grid represents a powerful tabular tool comprising of:

- Worksheet identification text on top with indication of currently chosen Inventory Year (top-right)
- Worksheet specific parameters (Gas, fuel type, calculation type, parameters, etc.).
- Top header of the grid column headers are not editable by user.
- Navigation/Row status column (left-most) indicates the active row that is selected and its status if it is in edit mode, if it is a new row, or if it is just selected.
- Rows of the grid containing data (e.g. activity data, emission factors, emissions, ...). Each row represents one particular activity. There are different types of cells in the row like editable cells, calculated value cells and text cells. The different types of cells are distinguished by different color. There could be additional icon placed in the cell to highlight some warning to the user.
- Small button with the key icon which allows setting the Notation Key for related parameter.
- Editable cells (white background) fields enabling to edit activity data, emission factors and other parameters.
- Calculated cells (green background) e.g. emissions calculated from activity data and emission factors using the relevant formula. These are not editable but automatically calculated.
- Column containing iconic action buttons:
 - If record already contains some remark, the action button will be coloured green I.

- It is action button saves current row changes into database.
- D this action button undoes all current row changes.
- **X** this action button deletes current row from database.
- Summary row on the bottom showing totals of activity data and emissions in the worksheet where applicable.

4.3.1 Row Status column

Left-most column of the grid is the Row Status column that indicates the current activity being performed within selected row. There are several icons indicating the status as follows:

- P indicates active row. This row is just selected not in edit mode.
- 22 Currently selected row is in edit mode. Edit mode is activated as soon as a value in any cell is changed by user.
- Image: Indicates that the row is an "add-new" row that is used as a "template" for new row.
- "add-new" row in edit mode. Edit mode is activated as soon as user starts to enter values into cells of "add-new" row.

4.3.2 Adding new row

If the worksheet allows the user to add new rows, the "add-new" row can be found as the last row of the grid marked with 🗶 Status Row icon. This row acts as a "template" for the new row.

As soon as the user starts entering data in cells of an "add-new" row, edit mode is activated and Status Row icon changes to 🔌. After filling all the required cells, new row is saved into database automatically after navigating to another row or after pressing the 🖃 button or after grid looses focus. Validation of entered data is performed before the new row is stored into database. In case of any error in the supplied data, user will be informed to correct it.

4.3.3 Canceling adding new row

Adding of new row can be canceled anytime using the ESC (Escape) key or 💌 or 💌 action buttons.

In case of using ESC key the behavior is as follows:

- If the active cell is in edit mode, hitting ESC cancels editing of that cell and undoes changes on that cell. New row remains in edit mode.
- Pressing ESC again (while none of the cells is in edit mode) cancels adding new row removing it from the worksheet.

In case of using iconic action buttons the new row will be cancelled immediately no matter if any cell is in edit mode.

4.3.4 Editing existing row

Edit mode (\square) is activated as soon as the user starts modifying data in editable cells. Modified row is saved into database as soon as the user leaves the row being edited or by pressing the \square button or after grid looses focus. Validation of entered data is performed before the row is updated in the database. In case of any error in the supplied data, user will be informed to correct it.

4.3.5 Canceling editing existing row / Undoing cell changes

ESC key or 🔊 action button can be used to undo row changes.

In case of using ESC key the behavior is as follows:

- If the active cell is in edit mode, hitting ESC cancels edit mode of that cell and undoes changes made to cell data (if any).
 - If there are no more cells changed in edited row this also cancels row editing.
 - If there are more cells that have been changed while editing row hitting ESC again undoes changes in all changed cells and cancels row editing returning it to its original state.

In case of using action button changes in all cells will be undone automatically at once and edit operation on row will be canceled.

4.3.6 Deleting rows

Pressing the **Delete selected rows** button or hitting the DEL key deletes all rows selected. More rows can be selected at the same time using mouse or Shift key function within Row Status column of the gird. **Iconic action button** \bowtie at row level can be used to delete just the corresponding row.

In all cases user is provided with the confirmation dialog.




Figure 4.10 - Deleting multiple rows

4.3.7 Value List cells

Some of the cells contain Value List where user can choose from the predefined set of values or nomenclature data (e.g. emission factors). Such cells have the Value List indicator v which when clicked will provide the user with the predefined set of nomenclature data. Some of the Value Lists are fixed and user cannot enter data other than that in the list (e.g. Fuels). Some are editable (e.g. emission factors Value Lists) and user is able to enter custom data that are not contained in the value list.



Figure 4.11 - Value List containing emission factors

4.3.8 Notation Keys

Notation Keys can be set by clicking the \square button of the particular cell. This enables to set Activity Data and Emissions Notation Keys.

Activity Data Notation Keys

Can be one of: IE, NO, C

- IE Activity is included elsewhere: all Activity Data and Emission Factor related columns will be blank and not editable in this case.
- NO Activity is not occurring: the same as for IE
- C Activity data are confidential: they will not be exposed in reporting tables.

Emissions Notation Keys

Can be **NE**: this means that emissions are not estimated. All Emission Factor related cells will be blank and not editable. Activity Data remain editable.

4.4 Time Series Data Entry

Majority of worksheets supports time series data entry. This means that parameters of worksheets can be edited across existing inventory years. Time series data entry worksheet can be activated by pressing the **Time Series Data Entry** button located under the grid. This will open the following window.




Figure 4.12 – Time Series Data Entry

4.4.1 Parameters

Parameter list contains the list of all editable parameters contained in the worksheet. By choosing the particular parameter the grid wil display the selected parameter values across existing inventory years grouped by all available combinations of row identifiers. Values in white cells are editable.

4.4.2 Row Indentifiers

Grid columns preceding years are so called "Row Identifiers" that uniquely identify the Worksheet rows across all existing years representing all existing combinations of identifiers across years. In case parameter value is not editable within the particular row (shaded), this means that the combination of relevant row identifiers does not occur in that particular year.

4.4.3 Export to Excel

It is possible to export the selected parameter data into Excel by clicking the **Export to Excel** button. Data for that parameter then can be modified in Excel and imported back into the software. Example of exported XLS is in the following figure.




Figure 4.13 – Exported parameter in Excel

4.4.4 Import from Excel

Pressing the **Import from Excel** button allows importing of previously exported parameter back into the software. Software asks for the input XLS file and if it meets the conditions it will be imported. The format of data as Excel file can be obtained by exporting Excel file. See Chapter 4.4.3.

4.4.5 Copy and Paste functions

Time Series Data Entry table implements the Copy and Paste functions which can be used to transfer data from/to table between the IPCC Inventory Software and other third party software (e.g. Microsoft Excel).

Copy function

Data can be copied into the clipboard by highlighting desired cells and pressing **Ctrl+C** keys. Data stored in the clipboard can than be pasted into any third-party software that supports data pasting. There are 2 ways of highlighting cells to be copied:

- Using mouse use left-most column to highlight cells by rows or column headers to highlight cells by columns
- Using keyboard click the starting cell from which you want to start highlighting the region. If the cell is editable it will switch to edit mode disabling the highlighting function. Therefore it is necessary to press **ESC** to exit edit mode. While cell is not in edit mode but selected, use **Shift+keyboard** arrows to highlight the desired region of cells.

Paste function


Data can be pasted from clipboard into the Time Series Data Entry table in case the structure of data is tabular – e.g. copied from **Microsoft Excel**.

- 1) Select the starting cell for which data paste should start.
- 2) If the cell is editable it will switch to edit mode. It is necessary to exit edit mode using **ESC** key before pasting data.
- 3) If you decide to define a paste region by highlighting cells using the **Shift+keyboard** arrows be sure your region matches the structure stored in the clipboard number of columns and rows must match.
- 4) Use **Ctrl+V** to paste data. Cells that are read-only (automatically calculated green cells or other non-editable cells) will be ignored.

Important: only existing rows can be updated by pasting data. If source data in clipboard contains more rows or columns than Time Series Data Entry table, those will not be created. Creating of new rows by pasting data is not supported, thus not possible.

4.4.6 Chart

Chart at the bottom of the Time Series Data Entry window contains the visual representation of selected parameter values for the selected grid row across all years. It can be used for visual checking of value variations across all years.





5 Example Worksheets

5.1 Fuel Combustion Activities and Emissions

This set of worksheets covers all categories within the category 1.A – Fuel Combustion Activities. Worksheets are available for each sub-category at the most disaggregated level.

bcategory: 1.A.	Combustion Acti 1.a.i - Electricity (Consumption Da	Generation						19	96
			Equation 2.4						
Subdivis	ion	Fuel	Consumption Unit	Consumption (Mass, Volume or Energy Unit)	Conversion Factor (TJ/Unit) (NCV)	Total consumption (TJ)			
S	ΔV	F AV	U V	С	CF	TC = C * CF			Τ
Unspecified		Anthracite	Gg (Auto CF)	4100 🥑	26.7	109470	2	っ	1
Unspecified		Biodiesels	Gg (Auto CF)	1000 🥑	27	27000	2		T
Unspecified		Biogasoline	Gg (Manual CF)	1500 🥑	26.3	39450	2		T
Unspecified		Brown Coal Briquettes	Gg (Auto CF)	650 🥑	20.7	13455	2		Т
Unspecified		Coke Oven Coke / Lignite Coke	Gg (Auto CF)	3000 🧭	28.2	84600	2		Т
Unspecified		Coking Coal	Gg (Auto CF)	2200 🥑	28.2	62040	2		T
Unspecified		Crude Oil	Gg (Auto CF)	260 🥑	42.3	10998	1		T
Unspecified		Custom Liquid	Gg (Auto CF)	1500 🥑	43	64500	2		T
Unspecified		Lignite	Gg (Auto CF)	5100 🥑	11.9	60690	2		T
Unspecified		Oil Shale / Tar Sands	Gg (Auto CF)	580 🥑	8.9	5162	2		T
Unspecified		Orimulsion	Gg (Auto CF)	350 🥑	27.5	9625	2		T
Unspecified		Other Bituminous Coal	Gg (Auto CF)	3100 🥑	25.8	79980	2		T
Unspecified		Sub-Bituminous Coal	Gg (Auto CF)	4100 🥑	18.9	77490	2		1
				6			2		
al						644460			_

Figure 5.1 – Example of Fuel Combustion Activities – Activity Data



Figure 5.2 – Example of Fuel Combustion Activities - Emissions

5.1.1 Fuel Type

Fuel Type selection box can be used to choose the desired Fuel Type to work with. After selecting the Fuel Type only the list of fuels of the selected type is available in the **Fuel** column in the grid to choose from and the worksheet will contain only rows with fuels of the selected type.




Figure 5.3 – Expanded list of available Liquid fuels

It is possible to display all fuels in the **Fuel** list by selecting the last item in the **Fuel Type** selection box labeled **(All)**. In this case, worksheet will contain rows with fuels of any type.

5.1.2 Uncertainties for Fuel Type

Button **Uncertainties for Fuel Type** can be used to enter Activity Data and Emission Factor uncertainties at the fuel type level that is currently selected. User will be provided with the dialog box where uncertainties can be defined.

Uncertainties by Fuel Type 🛛 🔀					
Liquid Fuels					
IPCC Category 1.A.1.a.i - Electricity Generation Activitiy Data Uncertainties					
Lower Upper+5.00 % 🗢					
Emission Factors Uncertainties					
Gas CARBON DIOXIDE (CO2)					
Lower6.33 % 🗢 Upper+7.14 % 📚					
ОК					

Figure 5.4 – Uncertainties for Liquid Fuels

Default Activity Data uncertainties are prefilled according to 2006 IPCC Guidelines. Default Emission Factor uncertainties are computed from default values for selected IPCC Category, Fuel Type and Gas. Default values can be changed and are stored into database automatically after pressing the **OK** button.

Annex 1

The table below shows the details on mapping of the emission estimates based on the 2006 IPCC Guidelines to the NAI reporting tables in this software. The format of these NAI reporting tables follows the Tables 1 and 2 of Annex to Decision 17/CP.8 of the UNFCCC (Guidelines for the preparation of national communications from Parties not included in Annex I to the Convention) which are based on the *Revised 1996 Guidelines* reporting structure, but some modifications have been made in order to help software users report emission estimates in a more transparent manner. Additional explanation is provided in the column "Note" of the table blow for some categories where mapping is not straightforward.

The function of exporting to NAI reporting tables in this software is intended to help software users report emission estimates in accordance with Annex to Decision 17/CP.8 of the UNFCCC, but is not intended to prescribe the way of mapping between categories under the *Revised 1996 IPCC Guidelines* and those under the *2006 IPCC Guidelines*. Software users may wish to use different mapping approach for some categories.

2006 Category most disaggregated level (Emissions are calculated at this level.)		1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
1.A.1	Energy Industries	1A1	
1.A.2	Manufacturing Industries and Construction	1A2	
1.A.3	Transport	1A3	The emissions under 1.A.3.b.vi (Urea-based catalysts) is excluded, since they are already reported under 2B of 1996 GLs. See note for category 2.B.1.
1.A.4	Other Sectors	1A4	
1.A.5	Non-Specified	1A5	The emissions under 1.A.5.c (Multilateral Operations) is included under Memo Item.
1.B.1	Solid Fuels	1B1	
1.B.2	Oil and Natural Gas	182	
1.B.3	Other emissions from Energy Production	7	
1.C	Carbon dioxide Transport and Storage	7	
2.A.1	Cement Production	2A	
2.A.2	Lime Production	2A	
2.A.3	Glass Production	2A	
2.A.4.a	Ceramics	2A	
2.A.4.b	Other Uses of Soda Ash	2A	
2.A.4.c	Non Metallurgical Magnesia Production	2A	
2.A.4.d	Other (please specify)	2A	According to the 2006GLs, CO2 emissions calculated in this category (2.A.4.d) should be reported in other relevant categories where the carbonates are used. This allocation to other categories is implemented in the second tab in the worksheet for this category. However, this allocation to other categories is not necessary according to the 1996GLs, therefore for the purposes of mapping back to 1996GLs reporting tables, all the CO2 emissions calculated in the first tab are included in 2A of 1996GLs.

(Emissio	tegory most disaggregated level ons are calculated at this level.)	1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
2.A.5	Other (please specify)	2A	
2.B.1	Ammonia Production	28	According to the 2006GLs, CO2 emissions subsequently used for urea production should be deducted. Later emissions of CO2 from such urea should be reported in the other categories like 1.A.3.b.vi (Urea-based catalyst), 3.C.3 (Urea application). For the purposes of mapping back to 1996GLs reporting tables, CO2 emissions before subtracting CO2 used for urea production are included in 2B1 of 1996GLs.
2.B.2	Nitric Acid Production	2B	
2.B.3	Adipic Acid Production	2B	
2.B.4	Caprolactam, Glyoxal and Glyoxylic Acid Production	2B	
2.B.5	Carbide Production	2B	
2.B.6	Titanium Dioxide Production	2B	
2.B.7	Soda Ash Production	2A	
2.B.8.a	Methanol	2B	
2.B.8.b	Ethylene	2B	
2.B.8.c	Ethylene Dichloride and Vinyl Chloride Monomer	2B	
2.B.8.d	Ethylene Oxide	2B	
2.B.8.e	Acrylonitrile	2B	
2.B.8.f	Carbon Black	2B	
2.B.9.a	By-product emissions	2E	Details are the same as the
2.B.9.b	Fugitive Emissions	2E	instructions for 2F shown below.
2.B.10	Other (Please specify)	2B	
2.C.1	Iron and Steel Production	2C	
2.C.2	Ferroalloys Production	2C	
2.C.3	Aluminium production	2C	CO2 is included in Table 1. CF4 and C2F6 are included in Table 2.
2.C.4	Magnesium production	2C	CO2 is included in Table 1. SF6 is included in Table 2.
2.C.5	Lead Production	2C	
2.C.6	Zinc Production	2C	
2.C.7	Other (please specify)	2C	
2.D.1	Lubricant Use	2G	
2.D.2	Paraffin Wax Use	2G	
2.D.3	Solvent Use	3	
2.D.4	Other (please specify)	2G	

	egory most disaggregated level	1996 Category Second Level (Emissions are reported at	Note
(Emissio	ns are calculated at this level.)	this level in NAI table.)	
2.E.1	Integrated Circuit or	2F	CHF3 (HF-C23), CHF2CHF2 (HFC-
	Semiconductor		134), CF4, C2F6 and SF6 are
2.E.2	TFT Flat Panel Display	2F	reported in the respective
2.E.3	Photovoltaics	2F	columns in Table 2.
2.E.4	Heat Transfer Fluid	2F	
2.E.5	Other (please specify)	2F	NF3 is NOT included in either
2.F.1.a	Refrigeration and Stationary Air Conditioning	2F	Table 1 or Table 2.
2.F.1.b	Mobile Air Conditioning	2F	Other HFCs are aggregated in
2.F.2	Foam Blowing Agents	2F	terms of Gg-CO2 eq and included
2.F.3	Fire Protection	2F	in the column "Other (Gg-CO2)"
2.F.4	Aerosols	2F	under "HFC" in Table 2.
2.F.5	Solvents	2F	
2.F.6	Other Applications (please	2F	Other PFCs are aggregated in
	specify)		terms of Gg-CO2 eq and included
2.G.1.a	Manufacture of Electrical	2F	in the column "Other (Gg-CO2)"
	Equipment		under "PFC" in Table 2.
2.G.1.b	Use of Electrical Equipment	2F	
2.G.1.c	Disposal of Electrical	2F	CO2, CH4 and N2O from 2.E.5
2.0.1.0	Equipment		are reported in the row "7 -
2.G.2.a	Military Applications	2F	Other (please specify)" in Table
2.G.2.b	Accelerators	2F	- 1.
2.G.2.c	Other (please specify)	2F	-
2.G.2.c	Medical Applications	3	
2.G.3.a	Propellant for pressure and	3	
2.0.5.0	aerosol products	5	
2.G.3.c	-	3	
2.6.3.0	Other (Please specify)	3	For CO2, CH4, N2O
2.G.4	Other (Please specify)	2F	For HFC, PFC, SF6 (Details are the same for 2F as shown above.)
2.H.1	Pulp and Paper Industry	2D	
2.H.2	Food and Beverages Industry	2D	
2.H.3	Other (please specify)	2G	
3.A.1.a.i	Dairy Cows	4A	
3.A.1.a.ii	Other Cattle	4A 4A	
3.A.1.a.n 3.A.1.b	Buffalo	4A 4A	
3.A.1.0 3.A.1.c	Sheep		
	+ · ·	4A	
3.A.1.d	Goats	4A	
3.A.1.e	Camels	4A	
3.A.1.f	Horses	4A	
3.A.1.g	Mules and Asses	4A	
3.A.1.h	Swine	4A	
3.A.1.j	Other (please specify)	4A	
3.A.2.a.i	Dairy Cows	4B	
3.A.2.a.ii	Other Cattle	4B	
3.A.2.b	Buffalo	4B	
3.A.2.c	Sheep	4B	
3.A.2.d	Goats	4B	
3.A.2.e	Camels	4B	
3.A.2.f	Horses	4B	
3.A.2.g	Mules and Asses	4B	
-			
3.A.2.h	Swine	4B	

		1996 Category Second Level	
	egory most disaggregated level ns are calculated at this level.)	(Emissions are reported at	Note
(EIIIISSIOI		this level in NAI table.)	
3.A.2.j	Other (please specify)	4B	
3.B.1.a	Forest land Remaining Forest land	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.1.b.i	Cropland converted to Forest	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user did NOT choose "This is caused by abandonment of managed land."
3.B.1.D.I	Land	5C	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user chose "This is caused by abandonment of managed land."
		5D	For Soil
	Grassland converted to Forest Land	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user did NOT choose "This is caused by abandonment of managed land."
3.B.1.b.ii		5C	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user chose "This is caused by abandonment of managed land."
		5D	For Soil
	Wetlands converted to Forest	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user did NOT choose "This is caused by abandonment of managed land."
3.B.1.b.iii	Land	5C	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user chose "This is caused by abandonment of managed land."
		5D	For Soil
	Settlements converted to	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user did NOT choose "This is caused by abandonment of managed land."
3.B.1.b.iv	Forest Land	5C 5D	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user chose "This is caused by abandonment of managed land." For Soil

	egory most disaggregated level ns are calculated at this level.)	1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
2.5.4 km	Other Land converted to	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user did NOT choose "This is caused by abandonment of managed land."
3.B.1.b.v	Forest Land	5C	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, when the user chose "This is caused by abandonment of managed land."
		5D	For Soil
3.B.2.a	Cropland Remaining Cropland	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.2.b.i	Forest Land converted to Cropland	5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.2.b.ii	Grassland converted to Cropland	5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.2.b.iii	Wetlands converted to Cropland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.2.b.iv	Settlements converted to Cropland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.2.b.v	Other Land converted to Cropland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.3.a	Grassland Remaining Grassland	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.3.b.i	Forest Land converted to Grassland	5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.3.b.ii	Cropland converted to Grassland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil
3.B.3.b.iii	Wetlands converted to Grassland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D	For Soil

	egory most disaggregated level ns are calculated at this level.)	1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
3.B.3.b.iv	Settlements converted to Grassland	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.3.b.v	Other Land converted to Grassland	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
	Peatlands remaining	5D 5A	For Soil For Above-ground Biomass, Below-ground Biomass, Dead
3.B.4.a.i	peatlands	5D	Organic Matter For Soil
3.B.4.a.ii	Flooded land remaining flooded land	5A	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
		5D 5B	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for Forest Land converted for peat extraction
3.B.4.b.i	Land converted for peat extraction	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for other than Forest Land converted for peat extraction
		5D	For Soil
		5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for Forest Land converted for peat extraction
3.B.4.b.ii	Land converted to flooded land	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for other than Forest Land converted for peat extraction
		5D	For Soil
		5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for Forest Land converted for peat extraction
3.B.4.b.iii	Land converted to other wetlands	5E	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter, for other than Forest Land converted for peat extraction
		5D	For Soil

	egory most disaggregated level ns are calculated at this level.)	1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
3.B.5.a	Settlements Remaining Settlements	5A 5D	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter For Soil
3.B.5.b.i	Forest Land converted to Settlements	5B	For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.5.b.ii	Cropland converted to Settlements	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.5.b.iii	Grassland converted to Settlements	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.5.b.iv	Wetlands converted to Settlements	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.5.b.v	Other land converted to Settlements	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.a	Other land Remaining Other land	5D 5A	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.b.i	Forest Land converted to Other Land	5D 5B	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.b.ii	Cropland converted to Other Land	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.b.iii	Grassland converted to Other Land	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.b.iv	Wetlands converted to Other Land	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.B.6.b.v	Settlements converted to Other Land	5D 5E	For Soil For Above-ground Biomass, Below-ground Biomass, Dead Organic Matter
3.C.1.a	Biomass burning in forest lands	5D 5E	For Soil

	tegory most disaggregated level ons are calculated at this level.)	1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
		4F	When the user chose "This is caused by agricultural residue burning."
3.C.1.b	Biomass burning in croplands	5B	When the user did not choose "This is caused by agricultural residue burning.", and this is on Forest land converted to Cropland or on Grassland converted to Cropland.
		5E	Otherwise
		4E	When the user chose "This is caused by prescribed burning of savannas."
3.C.1.c	Biomass burning in grasslands	5B	When the user did not choose "This is caused by prescribed burning of savannas.", and this is on Grassland converted to Cropland.
		5E	Otherwise
3.C.1.d	Biomass burning in all other land	5B	For Forest land converted to other land-use category or for Grassland converted to other land-use category.
		5E	Otherwise
3.C.2	Liming	5D	
3.C.3	Urea application	N.A.	The emissions under 3.C.3 (Urea application) is excluded, since they are already reported under 2B of 1996 GLs. See note for category 2.B.1.
		4D	For Cropland & Grassland
3.C.4	Direct N2O Emissions from managed soils	5B	For Forest land converted to non-Forestland, and Grassland converted to non-Grassland
		5E	Otherwise
3.C.5	Indirect N2O Emissions from managed soils	4D 5B	For Cropland & Grassland For Forest land converted to non-Forestland, and Grassland converted to non-Grassland
		5E	Otherwise
3.C.6	Indirect N2O Emissions from manure management	4B	
3.C.7	Rice cultivations	4C	
3.C.8	Other (please specify)	5E	
3.D.1	Harvested Wood Products	5E	
3.D.2	Other (please specify)	5E	
4.A 4.A.1	Solid Waste Disposal Managed Waste Disposal Sites	6A 6A1	
4.A.1 4.A.2	Unmanaged Waste Disposal Sites	6A2	
4.A.3	Uncategorised Waste Disposal Sites	6A3	

2006 Category most disaggregated level (Emissions are calculated at this level.)		1996 Category Second Level (Emissions are reported at this level in NAI table.)	Note
4.B	Biological Treatment of Solid Waste	6D	
4.C	Incineration and Open Burning of Waste	6C	
4.C.1	Waste Incineration	6C	
4.C.2	Open Burning of Waste	6C	
4.D	Wastewater Treatment and Discharge	6B	
4.D.1	Domestic Wastewater Treatment and Discharge	6B2	
4.D.2	Industrial Wastewater Treatment and Discharge	6B1	
4.E	Other (please specify)	6D	